



2016 CLASS A GAS




TOP FEATURES

- Hardwood Cabinet Doors w/Euro Hinges
- Bedroom 19" LED TV Standard
- Vetrolite® Ultra-Thick Fiberglass Skin (no wood substrate)
- Full-Body Paint
- Intense Halogen Projector Headlamps
- Exterior LED Accent Lights

- Power Awning w/LED Light Strip
- Side-View Camera Package
- Exterior Entertainment Center
- Tinted Frameless Windows
- Soft-Touch Vinyl Ceiling w/Ducted Air
- Blindspot Safety "Doggy" Window
- Aluminum Bus-Style Side Swing Luggage Doors
- Powerlock System[™] w/Interlocking Walls & Ceiling
- Powerframes[™] Precision Welding w/5-Point Build System
- F-21 Construction & Manufacturing Technology
- Hide-A-Loft™ Drop Down Queen Bed (Optional)
- 4-Point Hydraulic Levelers (Optional)

2016 Flair Décors













FLAIR 29T SHOWN IN SANGRIA DÉCOR WITH BARCELONA WOOD CABINETRY


26D

26E

29T







AVAILABLE OPTIONS: 217

AVAILABLE OPTIONS: 218

OPTIONS

OPT. 217 HIDE-A-LOFT DROP DOWN QUEEN BED 60" X 80"



















CLIFFSIDE COVE

MIDTOWN MINK

SANGRIA

| CHASSIS | | | | |
|---|--------|--------|--------|--|
| MODELS | 26D | 26E | 29T | |
| Wheelbase (inches) | 158" | 158" | 178" | |
| GVWR (lbs) ¹ | 16,000 | 16,000 | 16,000 | |
| Front GAWR (lbs) ² | 6,500 | 6,500 | 6,500 | |
| Rear GAWR (lbs) ² | 11,000 | 11,000 | 11,000 | |
| GCWR (lbs) ³ | 21,000 | 21,000 | 21,000 | |
| Hitch Rating Weight (lbs) ^{†,††} | 5,000 | 5,000 | 5,000 | |
| Tongue Weight (lbs)† | 500 | 500 | 500 | |
| Fuel Capacity (gal) | 80 | 80 | 80 | |

FORD® CHASSIS

Model: Ford* Engine: 6.8L Triton V10 Transmission: Ford, 5-Speed, Automatic w/Overdrive

Alternator: 175 Amp

Torque: 457 lb-ft @ 3,250 RPM

Horsepower: 362HP

| DIMENSIONS & CAPACITIES | | | | |
|--|---------|---------|---------|--|
| MODELS | 26D | 26E | 29T | |
| Overall Length ⁴ | 27' 10" | 27' 10" | 29' 10' | |
| Overall Height (with A/C) | 12' | 12' | 12' | |
| Overall Width (maximum) ^{5, 6} | 102" | 102" | 102" | |
| Interior Height (maximum) | 82" | 82" | 82" | |
| Interior Width (maximum) | 96" | 96" | 96" | |
| Patio Awning Width | 18' | 18' | 20' | |
| Interior Storage Capacity CU. FT. | 120 | 140 | 125 | |
| Exterior Storage Capacity CU. FT. | 85 | 85 | 135 | |
| Fresh Water Holding Tank (gal) | 50 | 50 | 50 | |
| Grey Water Holding Tank (gal) | 35 | 35 | 35 | |
| Black Water Holding Tank (gal) | 35 | 35 | 35 | |
| Appliance Propane Tank (gal) (WC) ⁷ | 14 | 14 | 14 | |
| Water Heater Tank (gal) | 6 | 6 | 6 | |



All the 😜 without the 😫



#Flair4Le\$\$



Addendums

- 1. GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded motorhome. The GVWR is equal to or greater than the sum of the (UVW) unloaded vehicle weight plus the (OCCC) occupant cargo-carrying capacity*.
- 2. GAWR (Gross Axle Weight Rating) is the maximum permissible loaded weight a specific axle is designed to carry.
- 3. GCWR (Gross Combined Weight Rating) is the value specified by the motorhome manufacturer as the maximum allowable loaded weight of this motorhome with its towed vehicle. Towing and braking capacities may be different. Refer to Fleetwood and chassis manufacturer's manuals for complete information.
- 4. Length measured from front bumper to rear bumper (excludes accessories).
- 5. Excludes safety equipment and awnings.
- 6. Motorhomes feature a body width over 96" which will restrict your access to certain roads. Before purchasing, you should research any state and/or province road laws which may
- 7. Tank manufacturer's listed water capacity (WC). Actual propane capacity is 80% of water listing as required by the safety code.
- * UVW and OCCC are found on the label containing the federal certification tag in each RV.
- † The chassis manufacturer recommends the installation of a supplemental brake control system to activate the brakes on the vehicle or trailer you are towing. Hitch receiver ratings expressed are maximum for the hitch receiver installed and may require the purchase of additional equipment that is dependent on the weight of the towed load. Consult with hitch receiver manufacturer for further information.

†† The Minimum Towable Load of this vehicle is the available weight capacity, up to GCWR, when the coach is fully loaded to maximum GVWR. However, if the coach is loaded to something less than maximum GVWR, that extra available weight capacity can be added to your Towable Load. For example, if your coach is loaded to 1000lbs less than maximum GVWR, your Towable Load increases accordingly. Do not exceed the hitch rating weight, GVWR or GCWR.

IMPORTANT-PLEASE READ

Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood RV dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV has designed its recreational vehicles to provide a variety of uses for customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

To locate a dealer near you, visit our website at www.fleetwoodrv.com or call 1-800-322-8216. We can also be contacted at Fleetwood RV Customer Relations, P.O. Box 1007, Decatur, IN 46733.

** All 2016 Fleetwood RV motorhomes include a 1-year emergency roadside assistance membership. For complete info, see your Fleetwood RV dealer.

©2015 Allied Recreation Group Inc. Printed in USA. Inventory Control Number FL16B1, 05/15. Model Year 2016, First Edition.



