S



Paradise Always in Range starting with Comfort Drive[™] steering technology, that a bonus with available OnGuard™ collision mitigation thirteen unique floor plans, with 37', 40' and 43' coaches and a choice between a Freightliner® and Spartan® chassis, the Dutch Star is easy to make yours.





Luxury in the Landscape 2021 Dutch Star

From the full-paint Masterpiece™ finish, an industry exclusive, to the stylish and functional details on every Dutch Star, the beauty is apparent. Safety is always a consideration, so you'll find a keyless entry door wit a touch pad and doorbell. Large storage spaces—with upgradeable pass-through storage trays—mean you're not leaving behind your favorite nine iron, or any other necessities.

A Lovely Drive

The cockpit of the Dutch Star puts you in the lap of luxury, with sixway power captain's chairs, covered in Ultrafabric®, offering power lumbar, recliner, and footrests—and standard heated seats. When you're on the road, side-view cameras show the world around you on the rearview monitor screen, or you can choose the 360-degree camera system. The optional Rand McNally navigation system gives you a clear look at where you're going, while the JBL audio system keeps you entertained while you're getting there.





Greener Pastures

The living room of the Dutch Star comes with configurations that are designed to best fit your lifestyle. Choose dual recliners and a Dormi sofa, or other configurations. Whichever you choose, it's perfect for enjoying the retractable Samsung® 50" 4K LED TV with Sony® Blu-ray player and Bose® Solo 5 soundbar. Stay cozy in cooler weather with optional floor tile radiant heat and stay cool under the sun's rays with Penguin™ heat pump air conditioners. Rear-bath floor plans offer cathedral ceilings to give you more space above, and optional Wi-Fi connectivity is there to keep you connected.





Clubhouse Cooking

The kitchen of the Dutch Star features all of the amenities you'd want for a meal after a day on the links—or anywhere else. High-gloss hardwood cabinetry with soft-close drawers and super-polished solid surface countertops offer a clean look. For cooking, a Whirlpool® refrigerator, stainless steel microwave, and three-burner cooktop are standard. If you're feeling gourmet, you can choose a dishwasher and portable induction cooktop as options. An optional window allows more natural light, while the pantry and appliance garage keep the kitchen space neat and tidy.







Relax and Restoration

The plush appointments of the Dutch Star bedroom are focused around the comfortable pillow top mattress—available in queen or king size depending on the floor plan—with the option to upgrade to a Sleep Number® mattress. A six-drawer dresser and two large hanging wardrobes sit opposite. Between the wardrobes you'll see a Samsung® LED TV with a Sony® Blu-ray player, so you can drift off to your favorite shows or movies.







The Beauty of Privacy

Several shower options welcome you depending on your floor plan, including a spacious 50" x 34" version with a fold-down seat, glass door, and Aqua Miser® shower system. In the vanity, his-and-hers sinks offer plenty of space for getting ready, while a multitude of storage options leave space for everything else. An optional two-piece washer and dryer save on trips to the laundromat. And many Dutch Star models also feature a mid-ship bathroom—perfect for you and guests alike.





Easy Roaming

Dutch Star 4311 offers all of the luxurious elements you expect from a Newmar coach, while also being fully accessible. It starts with standards like a power-adjustable kitchen table, roll-in shower, lowered switches and appliances, and widened aisleways. It goes further with full-tile slideouts, furniture covered in Ultrafabric, an electric fireplace beneath a retractable Samsung 4K TV, and available Fisher & Paykel dishwasher. On top of this, the new optional Aire Chair, an electric chair lift at the entry door, is available on all Dutch Star floor plans.





Exterior Entertainment

The exterior of the Dutch Star offers just as much luxury as the interior. With a Girard® G2000 power side awning—and the option to either add a doorside awning or upgrade to a complete Nova awning package—there's plenty of shady space to enjoy. A keyless entry door, with touch pad and doorbell, offers peace of mind. A Dometic® freezer on a pull-out tray is an available option, while an optional outdoor entertainment center upgrades your outdoors with a Samsung® 43" 4K LED TV and soundbar. It's all made possible thanks to a standard Cummins Onan® diesel generator.

Exterior and Interior Décor



CHATHAM EXTERIOR

Awning Color: Charcoal Tweed



FULTON EXTERIOR

Awning Color: Linen Tweed



NORFOLK EXTERIOR

Awning Color: Charcoal Tweed



WYLIE EXTERIOR

Awning Color: Charcoal Tweed



CHATHAM INTERIOR

a. Furniture/Fabric b. Flooring c. Counter Top



NORFOLK INTERIOR

a. Furniture/Fabric b. Flooring c. Counter Top



FULTON INTERIOR

a. Furniture/Fabric b. Flooring c. Counter Top



WYLIE INTERIOR

a. Furniture/Fabric b. Flooring c. Counter Top









*Available Hardwood Frame

Dutch Star



Length	37'11"
Width	101.5"
App. Overall Heigh	nt 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu



Length	37'11"
Width	101.5"
App. Overall Heig	ht 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu



Floor Plans

Length	37'11"
Width	101.5"
App. Overall Heigh	nt 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu



Length	40'09"
Width	101.5"
App. Overall Heigh	nt 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu



Length	40'09"
Width	101.5"
App. Overall Heigh	nt 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu

Dutch Star



Length	43'09"
Width	101.5"
App. Overall Heigh	nt 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	85,000 btu



Length	43'09"
Width	101.5"
App. Overall Heig	ht 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu



Floor Plans

Length	43'09"
Width	101.5"
App. Overall Heigh	nt 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu




Length	43'09"
Width	101.5"
App. Overall Heigh	nt 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu



Length	43'09"
Width	101.5"
App. Overall Heigh	nt 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu


Floor Plans



Length	43'09"
Width	101.5"
App. Overall Heig	ght 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu



Length	43'09"
Width	101.5"
App. Overall Heig	jht 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu





Length	43'09"
Width	101.5"
App. Overall Heig	ght 13'01"
Interior Width	95.5"
Interior Height	83"
Grey Tank	75 gal.
Sewage Tank	55 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu




Quality You Can Feel

Like a fine home, the 2021 Dutch Star is framed 16 inches on center, and is covered by a fiberglass roof with walkable decking and an integrated gutter rail.

BASEMENT

Cargo Liner
3/8" Floor Decking
1 1/4" Bead Foam
Galvanized Sheeting (Prevents Distortion)



	FREIGHTLINE	:R										
	FLOOR PLAN	ENGINE HP	AXLE RATIO	FUEL CAP.	WHEEL BASE	FRONT GAWR	REAR GAWR	TAG GAWR	GVWR	GCWR	APP. UVW	APP. NCC
	3709	450	4.78	100 gal.	242	16000 lb.	24000 lb.	n/a	40000 lb.	50000 lb.	34100 lb.	5900 lb.
450 450 4.78 100 qal. 252+TAG 1700 lb. 2000 lb. 1200 lb. 4900 lb. 6400 lb. 3810 lb. 1090 lb. 4081 450 4.78 100 qal. 252+TAG 1700 lb. 2000 lb. 1200 lb. 1200 lb. 4900 lb. 6400 lb. 3770 lb. 1300 lb. 4310 db. 4310 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 66000 lb. 4060 lb. 12800 lb. 4326 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 66000 lb. 3820 lb. 12800 lb. 4328 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 66000 lb. 3820 lb. 12800 lb. 4328 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 66000 lb. 3990 lb. 1100 lb. 4328 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 66000 lb. 3990 lb. 1100 lb. 4328 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 66000 lb. 3990 lb. 1100 lb. 4364 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 66000 lb. 40400 lb. 10600 lb. 4364 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 66000 lb. 40400 lb. 10600 lb. 4364 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 66000 lb. 40400 lb. 10600 lb. 4364 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 66000 lb. 40400 lb. 10600 lb. 4364 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4364 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4364 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 40400 lb. 40400 lb. 10600	3717	450	4.78	100 gal.	242	16000 lb.	24000 lb.	n/a	40000 lb.	50000 lb.	33800 lb.	6200 lb.
481 450 4.78 100 gal. 252+TaG 17000 lb. 20000 lb. 12000 lb. 49000 lb. 64000 lb. 37700 lb. 13000 lb. 4310 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 38200 lb. 12800 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 38200 lb. 12800 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 39200 lb. 15000 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 39200 lb. 15000 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10500 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10500 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10700 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10700 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10700 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4326 450 4.78 150 gal. 288+TaG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4326 450 4.88 100 gal. 252+TaG 17000 lb. 20000 lb. 12000 lb. 49000 lb. 64000 lb. 38000 lb. 11000 lb. 4310 450 4.88 100 gal. 252+TaG 17000 lb. 20000 lb. 12000 lb. 52000 lb. 64000 lb. 3750 lb. 11250 lb. 4310 450 4.88 150 gal. 288+TaG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 64000 lb. 38500 lb. 11600 lb. 4326 450 4.88 150 gal. 288+TaG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 64000 lb. 38500 lb. 11600 lb. 4326 450 4.88 150 gal. 288+TaG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 64000 lb. 40400 lb. 11600 lb. 4326 450 4.88 150 gal. 288+TaG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 64000 lb. 64000 lb. 40400 lb. 11600 lb. 4326 450 4.88 150	3736	450	4.78	100 gal.	242	16000 lb.	24000 lb.	n/a	40000 lb.	50000 lb.	34400 lb.	5600 lb.
4310 450 4.78 150 gal. 288+TAG 1900 lb. 2000 lb. 12000 lb. 51000 lb. 66000 lb. 4060 lb. 12800 lb. 13200 lb. 4311 450 4.78 150 gal. 288+TAG 1900 lb. 2000 lb. 12000 lb. 12000 lb. 51000 lb. 66000 lb. 4500 lb. 4500 lb. 12800 lb. 13200 lb. 4328 450 4.78 150 gal. 288+TAG 1900 lb. 20000 lb. 12000 lb. 12000 lb. 51000 lb. 66000 lb. 45000 lb. 10500 lb. 4328 4328 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 12000 lb. 66000 lb. 49000 lb. 11000 lb. 4354 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 12000 lb. 66000 lb. 40400 lb. 10600 lb. 4354 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 12000 lb. 66000 lb. 40400 lb. 10600 lb. 4364 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 15000 lb. 66000 lb. 40400 lb. 10700 lb. 4363 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10700 lb. 4369 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 12000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 12000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 12000 lb. 66000 lb. 40400 lb. 10600 lb. 43600 lb. 43800 lb. 13000 lb. 13000 lb. 12000 lb. 12000 lb. 12000 lb. 64000 lb. 38150 lb. 13650 lb. 43600 lb. 43600 lb. 43800 lb. 13000 lb. 13000 lb. 12000 lb. 12000 lb. 52000 lb. 64000 lb. 38150 lb. 13650 lb. 43600 lb. 43600 lb. 13000 lb	4020	450	4.78	100 gal.	252+TAG	17000 lb.	20000 lb.	12000 lb.	49000 lb.	64000 lb.	38100 lb.	10900 lb.
4311 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 38200 lb. 12800 lb. 4326 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 39000 lb. 11000 lb. 4328 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 39900 lb. 11100 lb. 4354 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4362 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4363 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 qal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.88 100 qal. 252+TAG 17000 lb. 20000 lb. 12000 lb. 49000 lb. 64000 lb. 38000 lb. 11000 lb. 4081 450 4.88 150 qal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 49000 lb. 64000 lb. 37750 lb. 11250 lb. 4310 450 4.88 150 qal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4311 450 4.88 150 qal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4326 450 4.88 150 qal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4326 450 4.88 150 qal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4326 450 4.88 150 qal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4326 450 4.88 150 qal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4326 450 4.88 150 qal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4326 4	4081	450	4.78	100 gal.	252+TAG	17000 lb.	20000 lb.	12000 lb.	49000 lb.	64000 lb.	37700 lb.	11300 lb.
4326 450 4.78 150 gal. 288+TAG 1900 lb. 2000 lb. 12000 lb. 51000 lb. 66000 lb. 40500 lb. 10500 lb. 4328 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 39900 lb. 11100 lb. 4354 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4362 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40300 lb. 10700 lb. 4363 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 588** **PATAM** **FLOOR PLAN** **F	4310	450	4.78	150 gal.	288+TAG	19000 lb.	20000 lb.	12000 lb.	51000 lb.	66000 lb.	40600 lb.	10400 lb.
428 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 6600 lb. 3990 lb. 1100 lb. 4354 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 12000 lb. 5100 lb. 6600 lb. 4040 lb. 1060 lb. 4362 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 12000 lb. 5100 lb. 6600 lb. 4040 lb. 1070 lb. 4363 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 6600 lb. 4040 lb. 1060 lb. 4369 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 6600 lb. 4040 lb. 1060 lb. 4369 450 4.78 150 qal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 6600 lb. 4040 lb. 1060 lb. 4369 858 **********************************	4311	450	4.78	150 gal.	288+TAG	19000 lb.	20000 lb.	12000 lb.	51000 lb.	66000 lb.	38200 lb.	12800 lb.
456 4.78 150 gal. 288+TAG 1900 lb. 2000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4362 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40300 lb. 10700 lb. 4363 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 40200 lb. 40200 lb. 40200 lb. 40400 lb. 10600 lb. 40200 lb	4326	450	4.78	150 gal.	288+TAG	19000 lb.	20000 lb.	12000 lb.	51000 lb.	66000 lb.	40500 lb.	10500 lb.
4362 450 4.78 150 gal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 6600 lb. 4030 lb. 10700 lb. 4363 450 4.78 150 gal. 288+TAG 1900 lb. 2000 lb. 1200 lb. 5100 lb. 6600 lb. 4040 lb. 1060 lb. 4369 450 4.78 150 gal. 288+TAG 1900 lb. 2000 lb. 2000 lb. 1200 lb. 5100 lb. 6600 lb. 4040 lb. 1060 lb. 4369 450 4.88 100 gal. 252+TAG 1700 lb. 2000 lb. 2000 lb. 1200 lb. 4900 lb. 6400 lb. 3800 lb. 1100 lb. 4020 lb. 4081 lb. 4080 lb. 1100 lb. 4080 lb. 1100 lb. 4080 lb. 4080 lb. 1100 lb. 4081 lb. 4081 lb. 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 2000 lb. 1200 lb. 5200 lb. 6700 lb. 4040 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 2000 lb. 1200 lb. 5200 lb. 6700 lb. 4040 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 2000 lb. 1200 lb. 5200 lb. 6700 lb. 4040 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 12000 lb. 5200 lb. 6700 lb. 6700 lb. 4040 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 2000 lb. 1200 lb. 5200 lb. 6700 lb. 6700 lb. 4040 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 2000 lb. 1200 lb. 5200 lb. 6700 lb. 40400 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 12000 lb. 5200 lb. 6700 lb. 6700 lb. 40400 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 12000 lb. 5200 lb. 6700 lb. 6700 lb. 40400 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 12000 lb. 5200 lb. 6700 lb. 6700 lb. 40400 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 12000 lb. 5200 lb. 6700 lb. 6700 lb. 40400 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 12000 lb. 5200 lb. 6700 lb. 6700 lb. 40400 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 12000 lb. 5200 lb. 6700 lb. 67000 lb. 40400 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 12000 lb. 5200 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4384 450 4.88 150 gal. 288+TAG 2000 lb. 2000 lb. 12000 lb. 5200 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 44060 lb. 11600 lb. 44060 lb. 11600 lb. 44060 lb. 11600 lb. 44060 lb.	4328	450	4.78	150 gal.	288+TAG	19000 lb.	20000 lb.	12000 lb.	51000 lb.	66000 lb.	39900 lb.	11100 lb.
4563 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. 4369 450 4.78 150 gal. 288+TAG 19000 lb. 20000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. SPARTAN FLOOR PLAN ENGINE HP AXLE RATIO FUEL CAP. WHEEL BASE FRONT GAWR REAR GAWR TAG GAWR GVWR GCWR APP. UVW APP. NCC 4020 450 4.88 100 gal. 252+TAG 17000 lb. 20000 lb. 12000 lb. 49000 lb. 64000 lb. 38000 lb. 11000 lb. 4081 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 31500 lb. 11600 lb. 4311 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 13850 lb. 4326 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4328 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4328 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 l	4354	450	4.78	150 gal.	288+TAG	19000 lb.	20000 lb.	12000 lb.	51000 lb.	66000 lb.	40400 lb.	10600 lb.
4369 450 4.78 150 gal. 288+TAG 1900 lb. 2000 lb. 12000 lb. 51000 lb. 66000 lb. 40400 lb. 10600 lb. SPARTAN FLOOR PLAN ENGINE HP AXLE RATIO FUEL CAP. WHEEL BASE FRONT GAWR REAR GAWR TAG GAWR GVWR GCWR APP. UVW APP. NCC 4020 450 4.88 100 gal. 252+TAG 17000 lb. 20000 lb. 12000 lb. 49000 lb. 64000 lb. 38000 lb. 11000 lb. 4081 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 64000 lb. 31750 lb. 11250 lb. 4310 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 3150 lb. 13850 lb. 4326 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4328 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4344 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4363 450 450 450 450 450 450 450 450 450 450	4362	450	4.78	150 gal.	288+TAG	19000 lb.	20000 lb.	12000 lb.	51000 lb.	66000 lb.	40300 lb.	10700 lb.
SPARTAN FLOOR PLAN ENGINE HP AXLE RATIO FUEL CAP. WHEEL BASE FRONT GAWR REAR GAWR TAG GAWR GVWR GCWR APP. UVW APP. NCC	4363	450	4.78	150 gal.	288+TAG	19000 lb.	20000 lb.	12000 lb.	51000 lb.	66000 lb.	40400 lb.	10600 lb.
FLOOR PLAN ENGINE HP AXLE RATIO FUEL CAP. WHEEL BASE FRONT GAWR REAR GAWR TAG GAWR GVWR GCWR APP. UVW APP. NCC 4020 450 4.88 100 gal. 252+TAG 17000 lb. 20000 lb. 12000 lb. 49000 lb. 64000 lb. 38000 lb. 11000 lb. 4810 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 64000 lb. 31750 lb. 11600 lb. 4311 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 38150 lb. 13850 lb. 4326 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4328 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb.	4369	450	4.78	150 gal.	288+TAG	19000 lb.	20000 lb.	12000 lb.	51000 lb.	66000 lb.	40400 lb.	10600 lb.
4020 450 4.88 100 gal. 252+TAG 17000 lb. 20000 lb. 12000 lb. 49000 lb. 64000 lb. 38000 lb. 11000 lb. 4081 450 4.88 100 gal. 252+TAG 17000 lb. 20000 lb. 12000 lb. 12000 lb. 52000 lb. 64000 lb. 37750 lb. 11250 lb. 4310 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 13850 lb. 4326 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4328 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11950 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40000 lb. 11950 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb.	SPARTAN											
4081 450 4.88 150 gal. 252+TAG 17000 lb. 20000 lb. 12000 lb. 52000 lb. 64000 lb. 37750 lb. 11250 lb. 4310 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 38150 lb. 13850 lb. 4326 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4328 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11950 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40050 lb. 11950 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb.	FLOOR PLAN	ENGINE HP	AXLE RATIO	FUEL CAP.	WHEEL BASE	FRONT GAWR	REAR GAWR	TAG GAWR	GVWR	GCWR	APP. UVW	APP. NCC
4310 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4311 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 38150 lb. 13850 lb. 4326 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4328 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40050 lb. 11950 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb.	4020	450	4.88	100 gal.	252+TAG	17000 lb.	20000 lb.	12000 lb.	49000 lb.	64000 lb.	38000 lb.	11000 lb.
4311 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 38150 lb. 13850 lb. 4326 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4328 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40050 lb. 11950 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40250 lb. 11750 lb. 4363	4081	450	4.88	100 gal.	252+TAG	17000 lb.	20000 lb.	12000 lb.	49000 lb.	64000 lb.	37750 lb.	11250 lb.
4326 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4328 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 52000 lb. 67000 lb. 40050 lb. 11950 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb.	4310	450	4.88	150 gal.	288+TAG	20000 lb.	20000 lb.	12000 lb.	52000 lb.	67000 lb.	40400 lb.	11600 lb.
4328 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40050 lb. 11950 lb. 4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb.	4311	450	4.88	150 gal.	288+TAG	20000 lb.	20000 lb.	12000 lb.	52000 lb.	67000 lb.	38150 lb.	13850 lb.
4354 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb. 4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb.	4326	450	4.88	150 gal.	288+TAG	20000 lb.	20000 lb.	12000 lb.	52000 lb.	67000 lb.	40400 lb.	11600 lb.
4362 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40250 lb. 11750 lb. 4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 67000 lb. 40400 lb. 11600 lb.	4328	450	4.88	150 gal.	288+TAG	20000 lb.	20000 lb.	12000 lb.	52000 lb.	67000 lb.	40050 lb.	11950 lb.
4363 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40400 lb. 11600 lb.	4354	450	4.88	150 gal.	288+TAG	20000 lb.	20000 lb.	12000 lb.	52000 lb.	67000 lb.	40400 lb.	11600 lb.
·	4362	450	4.88	150 gal.	288+TAG	20000 lb.	20000 lb.	12000 lb.	52000 lb.	67000 lb.	40250 lb.	11750 lb.
4369 450 4.88 150 gal. 288+TAG 20000 lb. 20000 lb. 12000 lb. 52000 lb. 67000 lb. 40350 lb. 11650 lb.	4363	450	4.88	150 gal.	288+TAG	20000 lb.	20000 lb.	12000 lb.	52000 lb.	67000 lb.	40400 lb.	11600 lb.
	4369	450	4.88	150 gal.	288+TAG	20000 lb.	20000 lb.	12000 lb.	52000 lb.	67000 lb.	40350 lb.	11650 lb.

The content in our literature depicts and describes products that are subject to change. For the most recent images and information, please visit NewmarCorp.com.

Lengths, heights, widths, and dry weights are approximate. Weight will vary based on optional equipment added to the above base weight.

GAWR: Gross Axle Weight Rating is the maximum permissible weight for an axle.

GVWR: Gross Vehicle Weight Rating is the maximum permissible weight for a fully loaded motor coach.

GCWR: Gross Combination Weight Rating is the value specified by the manufacturer of the vehicle as the maximum allowable loaded weight of this motor coach and any towed trailer or towed vehicle.

UVW: Unloaded Vehicle Weight is the weight of this motor coach as built at the factory with full fuel, engine oil, and coolants. Does not include cargo, fresh water, propane gas, or dealer-installed accessories.

NCC: Net Carrying Capacity is the maximum weight of all occupants, including the driver, personal belongings, food, fresh water, waste water, propane gas, tools, tongue weight of towed vehicle, dealer-installed accessories, etc., that can be carried by the motor coach.

Specifications supplied by the chassis manufacturer.

Dutch Star R-Values:

Roof R-Value = 24

Sidewall R-Value = 11

Floor R-Value = 16

Basement R-Value = 4

Features and Options







EXTERIOR FEATURES

Full-Paint Masterpiece™ Finish with Clearcoat Finish and Diamond Shield Protection on Front Cap

Convex Chrome Exterior Mirrors with Defrost, Remote Control and Turn Signal Indicators

Chrome Power Baggage Door Locks, Keyless Entrance Door with Touch Pad and Doorbell

Entrance Door with Automatic Step

Rear Hitch for Towing Car

Assist Handle at Entrance Door

Mud Flaps

Rear Protective Tow Guard with Stainless Steel Newmar Name Cutout

Undercoating

Hydraulic Leveling Jacks

Stainless Steel Kick Panel at Entrance Door

Hammock Backer

Storage Bins in Pegboard Compartment

Wheelchair Lift*

OPTIONS

Patio Hammock Package

Baggage Door Stainless Steel Trim Kit

Flagpole Bracket

Storage Tray 26" X 90" Power Location-Bay 2*

Storage Tray 26" X 91" Non-Power Location-Bay 2*

Storage Tray 32" X 91" Non-Power Location-Bay 2*

Storage Tray 39" X 56" Non-Power Location-Bay 3*

Storage Tray 42" X 91" Non-Power Location-Bay 3*

Storage Tray 43" X 56" Non-Power Location-Bay 2*

Storage Tray 43" X 56" Non-Power Location-Bay 3*

Storage Tray 43" X 56" Non-Power Location-Bay 4*

CONSTRUCTION FEATURES

Fiberglass Roof and Integrated Gutter Rail

Gelcoated Fiberglass Exterior Sidewalls, Front and Rear Caps

Aluminum-Frame Sidewalls and Roof Construction, 16" on Center

5/8" Foam Insulation Laminated in Sidewalls and Ceiling

Polar Pak R19 Batten Insulation on Roof

Automatic Lock Arms on Non Hydraulic Slideout Rooms-Paddle Style

Power Opening Entrance Door for Wheelchair Lift*

Egress Door with Ladder System

OPTION

Aire Chair-Personal Chair Lift at Entrance Door



WINDOWS, AWNINGS & VENTS

Frameless Double-Pane Tinted Safety Glass Windows

Fan-Tastic® Vent with Rain Sensor in Kitchen and Bathroom

Hardwood Louvered Cover on Fan-Tastic® Vent in Kitchen

Skylight Above Shower*

Girard® G2000 Power Side Awning with Wind Sensor, Remote Control and LED Lights

Carefree Slideout Covers and Power Entrance Door Awning with LED Lights

One-Piece Tinted Windshield

Driver Side Power Window

OPTIONS

Carefree Window Awning Package

Additional Girard® G2000 Side Awning on Door Side

Girard® Package-Two Nova Side Awnings, Slideout Covers,

Entrance Door and Power Window Awnings

Bunk Windows*

Kitchen Window*

Two Nova Side Awnings

Screen Door Over Wheelchair Lift Area on 4311

CHASSIS FEATURES

Freightliner® V-Ride Drive Axle Suspension

Aluminum Wheels

Electronic Chassis Information Center in Dash

Cruise Control

Comfort Drive™ Steering with Power Column and Adjustable Control

Manual Tilt/Telescope Steering Wheel with VIP Smart Wheel

Recessed Fuel Fills with Crossover to Fill from Either Side

Back-Up Alarm

Anti-Lock Braking System

Chassis Battery Disconnect

Automatic Traction Control

Electronic Stability Control

Glass Dash Instrument Panel

Prep for OnGuard™ Collision Mitigation Adaptive Cruise System

Tire Pressure Monitoring On Non-Tag and Tag Axle Chassis

Freightliner® 450Hp on 37'

Freightliner® Tag Axle 450Hp on 40'-43'

OPTIONS

Spartan® K2 Tag Axle 450Hp on 40'-43'

OnGuard™ Collision Mitigation Adaptive Cruise System with Adj. Following Distance Control on Freightliner® or Spartan® Chassis

AIR CONDITIONING & HEATING

Two 15M Penguin™ Heat Pump Air Conditioners on 37' and 40' Models

Three 15M Penguin™ Heat Pump Air Conditioners, Energy Management System, and 10kW Onan Generator on 43' Floor Plans

Hydronic Zone Diesel Heat with Continuous Hot Water

Dash Heater and Air Conditioner

Driver and Passenger Dash Overhead Ventilation System

Wall-Mounted Sensors for Heating and Air Conditioning

Roof Air Conditioning Drainage System

OPTIONS

Electric Radiant Heat Installed Below Main Floor Tile

ELECTRICAL FEATURES

8.0 kW Cummins Onan® Quiet Series Diesel Generator on Slides

10.0 kW Onan Generator on Slides 43'

Generator on Slideout Tray

50 Amp Electrical Service with Flexible Cord with Automatic Transfer Switch

Six 6-Volt House Batteries on Pull-Out Tray

Battery Disconnect Switch for House Battery

10 Watt Solar Panel to Charge Chassis Battery

12 Volt Auxiliary Receptacle on Dashboard

Emergency Engine Start Switch

Engine Block Heater

Energy Management System

Exterior Security Lights

Mid-Ship Side Turn Signals

LED Lights Recessed in Ceiling and Underneath Overhead Cabinets

Accent Lights in Slideout Fascia Trim

LED lights in Pantry to Come on When Door is Open

Lights in Exterior Storage Compartments on Automatic Switches

LED Lights Installed Under Door Side Slideouts

Manually Operated Hold-To-Run Slideout Switch

Automatic Generator Start on Low Battery or Temperature Setting

Cable TV Connection

Interior Courtesy Lights

Lights in Wardrobe

Reading Lights at Head of Bed-Dimmable with Adjustable Aim

USB Charger at Dinette and Bedroom Nightstand

USB Outlet at Dash for Driver Use

Power Rewind Wheel with 50' Cord*

KIB Backlight Switch Plates for Interior Lighting

KIB Switches for Interior Lights

Spare Fuses in the Chassis and House Fuse Panels

Wireless Phone Charger Pad in Driver Area

110 Volt Recept in Bed Overhead with Two Pass-Through Ports

110 Volt/USB at Head of Each Bunk*

OPTIONS

Four Flexible 100 Watt Solar Panels on Roof

Recessed Docking Lights

Solar Prep Rated with 6 Gauge Wire Run from Roof to House Battery Compartment

Transfer Switch with Surge Protector

PLUMBING & BATH FEATURES

Demand Water System

Sewage Holding-Tank Rinse

Dometic® 321 China Bowl Stool or Macerator Stool*

Solid Surface Shower Walls with Glass Door*

Fold-Down Shower Seat

Water Filter for Entire Unit

Exterior Shower

Auto Fill in Water Works Compartment

Power Water Hose Reel

Systems Monitor Panel

Aqua Miser® Shower System

OPTIONS

Assist Handle in Shower

Hot Water Line to Generator Area*

RV Sanicon Turbo System

INTERIOR FEATURES

Designer Feature Ceiling and Cathedral Ceiling with Added Height on Rear-bath Floor Plans*

Tile Floor in Kitchen, Bathroom, Bedroom and Living Area

Interior Assist Handle at Main Entry Door

Quilted Bedspread with Accent Pillows

Decorative Wall Art

Hardwood Raised Panel Interior Passage Doors

Dash Panel Color Coordinated ABS

Power Stepwell Cover

MCD Window Shades

MCD Power Shades at Windshield and Manual Shades at Driver and Passenger Side Windows



Wastebasket in Kitchen Base Under Sink

OPTIONS

Safe Located in Bedroom Wardrobe

MCD Power Window Shades with Remote Control

Shoe Storage Shelves Recessed into Rear Cap Wardrobe

CABINETS & FURNITURE

Bermuda Glazed Maple Hardwood Cabinets with Mitered Raised Panel Doors with Matte Finish

Concealed Hinges on Cabinet Doors

Soft-Close Cabinet Drawers

Lifts on Bed Top

Passenger Seat Work Station

Super Polished Solid Surface Countertop in Bathroom and Bedroom

Super Polished Solid Surface Countertop in Kitchen with Undermounted Stainless Steel Sink and Sink Covers

Pull-Out Pantry Shelves

Push-to-release Drawer Slides in Pantry

Drawers with Full Extension Guides

Ultrafabric® Sofa and Front Seats

Front Seats Six-Way Power, Power Lumber, Recliner and Footrest

Plush Pillow Top Mattress

Dinette with Power Adjusted Table, Bench Seat and a Folding Chair on Wheelchair Accessible Floor Plan

Extended Rotation Concealed Hinge for Washer/Dryer Cabinet Door

Appliance Garage in Kitchen*

Mesh Cell Phone Holder at Each Bunk Bed*

Two Ottomans*

Molded Silverware Divider Tray

Heated Driver/Passenger Seats

OPTIONS

Euro Booth Dinette with 2 Table Leaves, Removable Table Leg, and 2 Folding Chairs

Bermuda Glazed Maple Hardwood Cabinets with Mitered Raised Panel Doors-High Gloss

Carmel Glazed Maple Hardwood Cabinets with Mitered Raised Panel Doors-Matte or High Gloss Finish

Sable Maple Hardwood Cabinets with Mitered Raised Panel Doors-Matte or High Gloss Finish

Glacier Glazed Maple Hardwood Cabinets with Mitered Raised Panel Doors-Matte or High Gloss Finish

One Recliner, Fireplace, Televator, Reading Lights*

Two Recliners with Lampstand and Reading Lights*

Two Recliners with Reading Lights*

One Recliner, Fireplace, Televator, Reading Lights-Off Door Side Dormi-Door Side

Two Recliners with Lampstand and Reading Lights-Off Door Side and One Large Window

Two Recliners, Lampstand, Reading Lights-ODS, Hide-A-Bed with Memory Foam Mattress and One Large Window

Two Recliners, Lampstand, Reading Lights-ODS, Dormi and One Large Window

Dinette with Rollaway Table, Two Fixed/Two Folding Chairs

Sleep Number® R5 Radius Corner Air Mattress

Buffet Dinette with Freestanding Table

Buffet Dinette, Two Fixed/Two Folding Chairs

Buffet Dinette, Two Fixed/Two Folding Chairs on 4311

Buffet Dinette with Rollaway Table with Two Fixed/Two Folding Chairs

Combination Desk/Dinette with Rollaway Table, Two Fixed/Two Folding Chairs

Combination Desk with Buffet Table, Two Fixed/Two Folding Chairs

Combination Desk with Buffet Dinette Table, Two Fixed/Two Folding Chairs

Combination Desk/Dinette with Freestanding Hidden Leaf Table, Two Fixed/Two Folding Chairs

Power Incline Retracting Bed Base with Sleep Number® R5 Air Mattress*

Queen Bed Layout

Powered Theater Seating 74" with Reading Lights

Powered Theater Seating 87" with Reading Lights

Undermount Double Bowl Solid Surface Kitchen Sink

Full Height Bed Base on 4311

Bunk Beds to Convert to Wardrobe

APPLIANCES & ACCESSORIES

Stainless Steel Convection Microwave with Three-burner Recessed Gas Cooktop

Air Horns

Whirlpool® 19.7 Cf. Stainless Steel Refrigerator with 2000 Watt Pure Sine Inverter

Prep for Two-Piece Washer/Drver

Flush Gas Cooktop Cover of Matching Countertop Material

Fireplace in Living Area*

OPTIONS

30" Stainless Steel Convection Microwave in Kitchen Overhead on 4311

All Electric, Flush Mount Induction Cooktop, 8AGM Batteries, and 2800 Watt Inverter

Dishwasher in Drawer with Stainless Steel Front

Central Vacuum with Tool Kit

Dometic® 3.0 Cf. Freezer on Pull-Out Tray in Exterior Compartment

Electric Prep for Freezer (110 and 12 Volt) without Tray

Splendide® Two-piece Stacked Washer and Dryer

AUDIO. VIDEO & ACCESSORIES

Samsung® LED TV and Sony® Blu-ray Disc Player in Living and Bedroom Areas* (TV Sizes Vary Per Floor Plan)

Samsung® 50" 4K LED TV on Televator in Living Area*

Dash Radio with Harman/JBL 180 Watt Sound System and Subwoofer

Rearview Color Monitor System with Audio

Winegard Rayzar Automatic Digital TV Antenna

Satellite Dish Prep on Roof

Two Bedroom Radio Speakers

TV Jack and 110 Volt Recept in Door Side Exterior Storage Compartment

Bluetooth Microphone for Xite Dash Radio

Bose® Solo 5 Soundbar Sound System

High Definition Component Wiring

Side-View Cameras Displayed onto Rearview Monitor Screen

10 Bc Fire Extinguisher, Smoke Detector, Propane and Carbon Monoxide Detector

Xite Dash Radio with 9" Monitors and Rand McNally Navigation

OPTIONS

Sirius® Satellite Radio Capability (Does not include monthly subscription)

Samsung® 43" 4K LED TV in Front Overhead

50" Televator with Fireplace in Place of Front Overhead TV on 4311

Exterior Entertainment Center in Sidewall with Samsung® 43" 4K LED TV and Soundbar

Exterior Entertainment Center in Storage Compartment with Samsung® 43" 4K LED TV and Soundbar

Omniview NS360 Camera System*

Winegard Automatic Dome Satellite

Winegard Automatic Open Face SWM Satellite

Winegard Automatic Open Face Satellite

Winegard Cellular In Motion WiFi

Winegard In Motion Dome Satellite

Prep for Ground Tripod Satellite Dish on Off Door Side with A/B Switch

Two 19" Skyworth TV/DVD Monitors at Each Bunk*

Universal Remote Control

Universal Toll Module

WiFiRanger Sky4 Pack Router

WiFiRanger SkyPro LTE Cellular Router

The content in our literature depicts and describes products that are subject to change. For the most recent images and information, please visit NewmarCorp.com.

^{*}Check with dealership on floor plan availability.

The Newmar Customer Experience

The Newmar difference goes beyond our industry-leading motor coaches to provide you with an unrivaled ownership experience.



QUALITY FROM THE START

Every Newmar is crafted one at a time by folks who have spent an average of eight years building them. And each coach we assemble must undergo more than 1,000 tests and checks before ever leaving our factory.



CAREFULLY SELECTED DEALERS

We view our dealership network in terms of quality, not quantity. Each of our dealers acts as a partner in our shared mission to exceed your highest of expectations, for an ownership experience that's second to none from day one.



EVERYTHING IN ONE PLACE

As a Newmar owner, you'll find resources specific to your coach through Newgle, an easy-to-use knowledge base that houses everything from user guides to technical support documents.



FRIENDS FOR LIFE

Meet fellow owners through the Newmar Kountry Klub, a top social club for RV travelers that hosts rallies and other special events throughout the U.S. and Canada.



SEAMLESS SERVICE

When you join the Newmar family, we pair you with a dedicated service specialist with expert knowledge of your exact coach. Available 24/7, our service specialists guarantee dealer warranty authorizations within four business hours and ship all in-stock parts the same day, free of charge.



ROCK-SOLID PROTECTION

All models include a one-year/unlimited mileage limited warranty and a five-year, non-transferable structural warranty that covers your coach's superstructure in the event it fails to perform.

Ask your Newmar dealer for more details.



A. ROOF

Fiberglass Roof

Batten Insulation

A/C Ducting

16" on Center Aluminum Rafter Framing

Kraft Paper Vapor Barrier

5/8" Bead Foam

3/16" Panel

Padded Vinyl Overlay

B. SIDEWALL

Interior Wall Panel

5/8" Bead Foam

Kraft Paper Vapor Barrier

Batten Insulation

Composite One-Piece

Gelcoat Exterior Sidewall

Aluminum Framing

C. FLOOR

Tile

5/8" Floor Decking

Batten Insulation

16"on Center Wood Framing

Polyethylene Moisture Barrier

D. EXTERIOR

15M Penguin™ Heat Pump Central Air Conditioners

One-Piece Bonded Windshield

Coated Aluminum Wheels

Frameless, Double-Pane, Tinted Safety Glass Windows

Side-Hinged Baggage Doors with Optional Pull-Out Tray

Our Partners

Newmar Quality Begins with the Company We Keep

You deserve class-leading performance from names you can trust. That's why we only work with suppliers dedicated to providing our customers with unrivaled quality, comfort, and support.



FREIGHTLINER CUSTOM CHASSIS

Freightliner Custom Chassis Corp. (FCCC) is renowned for delivering the industry's best ownership experience through exceptional 24/7 factory-direct support, exceptional ride and handling, and developing high-performance innovations such as DRIVETECH. It's the only RV driving system that prioritizes safety and automotive luxury by putting every command at your fingertips.



SPARTAN RV CHASSIS

Designs, engineers, and assembles by hand each Spartan chassis for the best ride and handling in the industry. Spartan's leading safety ratings and ongoing investment in R&D give Spartan chassis owners superior performance and higher coach resale values. Spartan is American owned and has earned the trust of discerning RV owners based on its premium products and award-winning customer service.

D-BASF

We create chemistry

BASF

A world full of colors! The Coatings Division of BASF develops, produces and markets a high-quality range of innovative and sustainable automotive OEM coatings and automotive refinishes.




INDUSTRIAL FINISHES

Industrial Finishes has supported RV manufacturers for over four decades. The Industrial Finishes paint process delivers uncompromising quality, providing your coach with a true "Masterpiece" finish.



RIVERPARK

RiverPark proudly represents the leading brands in consumer electronics—brands you know and trust to provide exceptional quality and innovative technology. Newmar features Samsung's incredible 4K TVs with Bose soundbars, Xite Infotainment systems featuring Rand McNally Navigation and JBL and Infinity premium audio. Step into a 2021 Newmar and experience dazzling audio and video performance throughout!



Our People Take It Personally

Since Newmar was founded in 1968, our goal has been to build a better RV.

We have always believed that traveling shouldn't mean leaving behind the comforts you enjoy, so our coaches are crafted to be residential-quality homes—complete with handmade cabinetry and designer décors.

Every Newmar is built by hand, one at a time, by men and women who have dedicated years to creating superior-quality coaches that surpass their mass-produced competition.

We don't want to simply ask you to trust us when we talk about the Newmar difference. We want to prove it, every single time you hit the road. Because we take pride in the responsibility of designing, engineering, and constructing your motorhome.

And we know you'll be proud driving one on the way to your next destination.

When You Know the Difference. NEWMAR