Legacy

CHOOSE YOUR LEGACY.





COMFORT AND CONVENIENCE

WITH THE LEGACY FROM FOREST RIVER YOU GET THE BEST OF BOTH WORLDS, COMFORT AND CONVENIENCE.

THE COCKPIT IS DESIGNED TO BE BOTH COMFORTABLE AND EASY TO ADJUST FOR ANY DRIVER TYPE.

THE LIVING AREA IS OPEN AND INVITING, WHICH IS GREAT FOR BOTH ENTERTAINING FAMILY AND FRIENDS OR

WINDING DOWN AFTER A LONG DAYS JOURNEY TO YOUR FAVORITE DESTINATION.

NATIVE CHERRY SIERRA MAPLE

WOOD GRAIN OPTIONS





38C

ALL PICTURES STONECREST PUTTY DECOR NATIVE CHERRY WOOD GRAIN







RESIDENTIAL THROUGHOUT

ENJOY THE WARM AND RICH RESIDENTIAL LOOK AND CONVENIENT FEATURES FOUND THROUGHOUT THE LEGACY. THE KITCHEN BOASTS A 30" OTR CONVECTION MICROWAVE, STAINLESS STEEL SINK, SEALED 3 BURNER COOK TOP AND IS LUXURIOUSLY FINISHED WITH HANDCRAFTED ALL HARDWOOD CABINETRY.

ABOVE AND BEYOND

WITH OUR ATTENTION TO DETAIL, NOTHING ABOUT THE LEGACY HAS BEEN LEFT TO CHANCE.

THE LEGACY HAS BEEN DESIGNED TO MAXIMIZE SPACE AND DELIVER COMPLETE CONVENIENCE.

THE OPTIONAL OVERHEAD BED LIFT PROVIDES EXTRA SLEEPING QUARTERS, THE WILLIAMSBURG

DOUBLE STITCH SOFA IS COMFORTABLE AND CONTEMPORARY AND THE RAISED PANEL HARDWOOD

CABINET DOORS ARE SURE TO MAKE A LASTING IMPRESSION.



EXTERIOR PAINT OPTIONS

THE LEGACY DESIGN TEAM HAS DEVELOPED FOUR EXCITING EXTERIOR FULL BODY SIKKENS® PAINT OPTIONS THAT INCLUDE A 4X CLEAR COAT FOR DURABILITY. COMBINE ONE OF THESE GREAT PAINT SCHEMES WITH YOUR CHOICE OF ONE OF OUR SIX PROFESSIONALLY DESIGNED INTERIORS AND CREATE YOUR PERFECT COACH.



SILVER BLADE



BRONZE



JET BLUE




VIPER













EXTERIOR FEATURES

1. STANDARD EXTERIOR ENTERTAINMENT CENTER BUILT INTO THE SIDEWALL 2. EASILY ACCESSIBLE ELECTRICAL FUSES WITH LEGACY'S NO FUSS SCHEMATIC 3. STANDARD SIDE HINGE COMPARTMENT DOORS WITH PASS-THRU STORAGE 4. WHOLE COACH WATER FILTER, DOCKING STATION AND EXTERIOR SHOWER 5. CONVENIENT GENERATOR ACCESS 6. TRUMA CONTINUOUS FLOW HOT WATER HEATER

DECOR OPTIONS / STANDARDS AND OPTIONS







TIGERS EYE KHAKI

TIGERS EYE PUTTY

FLOORPLAN

MOONSTONE KHAKI

340BH 360RB

FLOORPLAN

Multi-Plex Lighting

Preightliner XCS Straight Rail Chassis S	FLOORPLAN AUTOMOTIVE & COCKPIT STANDARDS	34A	340BH	360RB	38C
Cummins ISB Turbo Diesel 6.7 liter 340 S S S S HP at 2800 RPM, 700 ft. lbs. Torque at 1 1600 RPM		0	e	e	9
### ### ### ### ### ### ### ### ### ##					
Allison MH-2500 6-Speed Automatic S		0	3	3	3
Allison MH-2500 6-Speed Automatic S S S Transmission w/ Push Button Shifter					
Transmission w/ Push Button Shifter 120v Engine Heater 750W S S S S S S S S S		S	S	S	
120v Engine Heater 750W S S S S S S S S S	•	Ü	· ·	, and the second	Ŭ
22.5" Polished Aluminum Wheels		S	S	S	
Michelin XRV 255/80R22.5 S S S 14 Ply Radial Tires Trailer Hitch S S S 90 Gallon, Locking Dual Fill Fuel Tank S S S 90 Gallon, Locking Dual Fill Fuel Tank S S S Driver Side Mounted 13 Gallon DEF Tank S S S LCD Engine Message Center S S S Day Time Running Lights S S S Time Running Lights S S S 7-Pin Tow Power Connector S S S 18.7 CFM Air Compressor S S <td< td=""><td>_</td><td></td><td></td><td></td><td></td></td<>	_				
Trailer Hitch S 90 Gallon, Locking Dual Fill Fuel Tank S S S S S S S S S S S S S		S		S	
90 Gallon, Locking Dual Fill Fuel Tank					
Driver Side Mounted 13 Gallon DEF Tank	Trailer Hitch	S	S	S	S
Driver Side Mounted 13 Gallon DEF Tank	90 Gallon, Locking Dual Fill Fuel Tank	S	S	S	S
Day Time Running Lights S S S 7-Pin Tow Power Connector S S S 18.7 CFM Air Compressor S S S Farr Eco-air Cleaner S S S Air Filter Restriction Indicator S S S Fuel/Water Separator S S S Brake Line Air Dryer w/ Heater S S S Sake Line Air Dryer w/ Heater S S S Automatic, Heated Moisture Ejectors S S S Power Steering S S S Power Steering S S S Washer/Wiper w/ Intermittent Function S S S S S S S S Power Steering S S S S Washer/Wiper w/ Intermittent Function S S S S S S S S Washer/Wiper w/ Intermittent Function S S S <td></td> <td>S</td> <td>S</td> <td>S</td> <td>S</td>		S	S	S	S
7-Pin Tow Power Connector S S S 18.7 CFM Air Compressor S S S Farr Eco-air Cleaner S S S Air Filter Restriction Indicator S S S Separator S S S Brake Line Air Dryer w/ Heater S S S Brake Line Air Dryer w/ Heater S S S Brake Line Air Dryer w/ Heater S S S Automatic, Heated Moisture Ejectors S S S Brake Line Air Dryer w/ Heater S S S Automatic, Heated Moisture Ejectors S S S Swasher/Wiper w/ Intermittent Function S S S Swasher/Wiper w/ Intermittent Function S S S Masher/Wiper w/ Intermittent Function S S S Masher/Wiper w/ Intermittent Function S S S Swasher/Wiper w/ Intermittent Function S S S Swasher/Wiper w/ Intermittent Fu	LCD Engine Message Center	S	S	S	S
18.7 CFM Air Compressor S S S Farr Eco-air Cleaner S S S S Air Filter Restriction Indicator S S S S Fuel/Water Separator S S S S Brake Line Air Dryer w/ Heater S S S S Brake Line Air Dryer w/ Heater S S S S Brake Line Air Dryer w/ Heater S S S S Automatic, Heated Moisture Ejectors S S S S Subject Fill Michael S S S S S S Masher/Wiper w/ Intermittent Function S S S S S S S S S S S S S S	Day Time Running Lights	S	S	S	S
Farr Eco-air Cleaner S S S Air Filter Restriction Indicator S S S Fuel/Water Separator S S S Brake Line Air Dryer w/ Heater S S S Automatic, Heated Moisture Ejectors S S S Automatic, Heated Moisture Ejectors S S S Power Steering S S S Power Steering S S S Washer/Wiper w/ Intermittent Function S S S Swasher/Wiper w/ Intermittent Function S S S Mainternator S S S S May Alternator S S S S Swap Alternator S S S S Two (2) 1900 CCA at 0 degree Fahrenheit, S S S S Maintenance Free Batteries S S S S S Full Air ABS Brakes w/ Auto Slack Adjuster S S S	7-Pin Tow Power Connector	S	S	S	<u> </u>
Air Filter Restriction Indicator S S S Fuel/Water Separator S S S Brake Line Air Dryer w/ Heater S S S Automatic, Heated Moisture Ejectors S S S Automatic, Heated Moisture Ejectors S S S Power Steering S S S Power Steering S S S Washer/Wiper w/ Intermittent Function S S S Masher/Wiper w/ Intermittent Function S S S Maintenance Tee Materia S S S S Maintenance Free Batteries S S S S Full Air ABS Brakes w/ Auto Slack Adjuster S S S S Full Air ABS Brakes w/ Auto Slack Adjuster S S S<	18.7 CFM Air Compressor	S	S	S	<u> </u>
Fuel/Water Separator S S S Brake Line Air Dryer w/ Heater S S S Automatic, Heated Moisture Ejectors S S S Automatic, Heated Moisture Ejectors S S S Power Steering S S S Washer/Wiper w/ Intermittent Function S S S 160 Amp Alternator S S S Two (2) 1900 CCA at 0 degree Fahrenheit, S S S Two (2) 1900 CCA at 0 degree Fahrenheit, S S S Maintenance Free Batteries S S S Full Air ABS Brakes w/ Auto Slack Adjuster S S S Variable Exhaust Brake S S S Variable Exhaust Brake S S S Telescopic/Tilt Steering Wheel S S S Suspension Neway Front and V-ride Rear S S S Suspension Neway Front Shock Absorbers S S S Stogeree Wheel cut	Farr Eco-air Cleaner	S	S	S	<u> </u>
Brake Line Air Dryer w/ Heater \$ <td< td=""><td>Air Filter Restriction Indicator</td><td>S</td><td>S</td><td>S</td><td><u> </u></td></td<>	Air Filter Restriction Indicator	S	S	S	<u> </u>
Automatic, Heated Moisture Ejectors \$	Fuel/Water Separator	S	S	S	<u> </u>
Power Steering	Brake Line Air Dryer w/ Heater	S	S	S	<u> </u>
Washer/Wiper w/ Intermittent Function S S S 160 Amp Alternator S S S S Two (2) 1900 CCA at 0 degree Fahrenheit, S S S S Maintenance Free Batteries S S S S Full Air ABS Brakes w/ Auto Slack Adjuster S S S S Variable Exhaust Brake S S S S S Telescopic/Tilt Steering Wheel S S S S S S Suspension Neway Front and V-ride Rear S	Automatic, Heated Moisture Ejectors	S	S	S	<u> </u>
160 Amp Alternator S S S Two (2) 1900 CCA at 0 degree Fahrenheit, S S S Maintenance Free Batteries S S S Full Air ABS Brakes w/ Auto Slack Adjuster S S S Variable Exhaust Brake S S S Salescopic/Tilt Steering Wheel S S S Suspension Neway Front and V-ride Rear S S S Suspension Neway Front Abosch Absorbers S S S Sheavy Duty Front Shock Absorbers S S S	Power Steering	S	S	S	S
Two (2) 1900 CCA at 0 degree Fahrenheit, S S Maintenance Free Batteries Full Air ABS Brakes w/ Auto Slack Adjuster S S S Variable Exhaust Brake S S S S Ielescopic/Tilt Steering Wheel S S S S Suspension Neway Front and V-ride Rear S S S S Suspension Neway Front and V-ride Rear S S S S Heavy Duty Front Shock Absorbers S S S S S Sdegree Wheel cut S S S S S S Air Suspension Deflation System S S S S S S Cross Flow, Rear Mounted Radiator S	Washer/Wiper w/ Intermittent Function	S	S	S	S
Two (2) 1900 CCA at 0 degree Fahrenheit, S S Maintenance Free Batteries Full Air ABS Brakes w/ Auto Slack Adjuster S S S Variable Exhaust Brake S S S S Ielescopic/Tilt Steering Wheel S S S S Suspension Neway Front and V-ride Rear S S S S Suspension Neway Front and V-ride Rear S S S S Heavy Duty Front Shock Absorbers S S S S S Sdegree Wheel cut S S S S S S Air Suspension Deflation System S S S S S S Cross Flow, Rear Mounted Radiator S	160 Amp Alternator	S	S	S	S
Full Air ABS Brakes w/ Auto Slack Adjuster S S Variable Exhaust Brake S S S Telescopic/Tilt Steering Wheel S S S Suspension Neway Front and V-ride Rear S S S Suspension Neway Front Shock Absorbers S S S Stegree Wheel cut S S S Air Suspension Deflation System S S S Cross Flow, Rear Mounted Radiator S S S Transmission Oil Cooler S S S S year / 100,000 Mile Coolant S S S (some maintenance required) S S S 4-Spoke VIP Black Steering Wheel S S S 4-Spoke VIP Black Steering Wheel S S S Electronic Cruise Control w/ High Idle S S S Multiple Auxiliary Charging Ports at Dash S S S CONSTRUCTION & EXTERIOR STANDARDS S S S		S	S	S	S
Variable Exhaust Brake S S S Telescopic/Tilt Steering Wheel S S S Suspension Neway Front and V-ride Rear S S S Heavy Duty Front Shock Absorbers S S S 55 degree Wheel cut S S S Air Suspension Deflation System S S S Cross Flow, Rear Mounted Radiator S S S Transmission Oil Cooler S S S 5 year / 100,000 Mile Coolant S S S (some maintenance required) S S S 4-Spoke VIP Black Steering Wheel S S S Electronic Cruise Control w/ High Idle S S S Multiple Auxiliary Charging Ports at Dash S S S CONSTRUCTION & EXTERIOR STANDARDS S S S	Maintenance Free Batteries				
Telescopic/Tilt Steering Wheel S S S Suspension Neway Front and V-ride Rear S S S Heavy Duty Front Shock Absorbers S S S 55 degree Wheel cut S S S Air Suspension Deflation System S S S Cross Flow, Rear Mounted Radiator S S S Transmission Oil Cooler S S S 5 year / 100,000 Mile Coolant S S S (some maintenance required) S S S 4-Spoke VIP Black Steering Wheel S S S Electronic Cruise Control w/ High Idle S S S Multiple Auxiliary Charging Ports at Dash S S S CONSTRUCTION & EXTERIOR STANDARDS Fiberglass Front and Rear Caps S S S	Full Air ABS Brakes w/ Auto Slack Adjuster	S	S	S	S_
Suspension Neway Front and V-ride Rear \$	Variable Exhaust Brake	S	S	S	S_
Heavy Duty Front Shock Absorbers	Telescopic/Tilt Steering Wheel	S	S	S	S_
55 degree Wheel cut S S S Air Suspension Deflation System S S S Cross Flow, Rear Mounted Radiator S S S Transmission Oil Cooler S S S 5 year / 100,000 Mile Coolant S S S (some maintenance required) S S S 4-Spoke VIP Black Steering Wheel S S S Electronic Cruise Control w/ High Idle S S S Multiple Auxiliary Charging Ports at Dash S S S CONSTRUCTION & EXTERIOR STANDARDS Fiberglass Front and Rear Caps S S S	Suspension Neway Front and V-ride Rear	S	S	S	S_
Air Suspension Deflation System S S S Cross Flow, Rear Mounted Radiator S S S Transmission Oil Cooler S S S 5 year / 100,000 Mile Coolant S S S (some maintenance required) S S S 4-Spoke VIP Black Steering Wheel S S S Electronic Cruise Control w/ High Idle S S S Multiple Auxiliary Charging Ports at Dash S S S CONSTRUCTION & EXTERIOR STANDARDS Fiberglass Front and Rear Caps S S S	Heavy Duty Front Shock Absorbers	S	S	S	S_
Cross Flow, Rear Mounted Radiator S S S Transmission Oil Cooler S S S S 5 year / 100,000 Mile Coolant S S S S (some maintenance required) S S S S 4-Spoke VIP Black Steering Wheel S S S S Electronic Cruise Control W/ High Idle S S S S Multiple Auxiliary Charging Ports at Dash S S S S CONSTRUCTION & EXTERIOR STANDARDS Fiberglass Front and Rear Caps S S S S	55 degree Wheel cut	S	S	S	S_
Transmission Oil Cooler S S S 5 year / 100,000 Mile Coolant (some maintenance required) S S S 4-Spoke VIP Black Steering Wheel S S S Electronic Cruise Control w/ High Idle S S S Multiple Auxiliary Charging Ports at Dash S S S CONSTRUCTION & EXTERIOR STANDARDS Fiberglass Front and Rear Caps S S S	Air Suspension Deflation System	S	S	S	S_
5 year / 100,000 Mile Coolant S S S S S S (some maintenance required) 4-Spoke VIP Black Steering Wheel S S S S S Electronic Cruise Control w/ High Idle S S S S S Multiple Auxiliary Charging Ports at Dash S S S S S S S S S S S S S S S S S S S	Cross Flow, Rear Mounted Radiator	S	S	S	S_
(some maintenance required) 4-Spoke VIP Black Steering Wheel S S S S Electronic Cruise Control w/ High Idle S S S S Multiple Auxiliary Charging Ports at Dash S S S S CONSTRUCTION & EXTERIOR STANDARDS Fiberglass Front and Rear Caps S S S S	Transmission Oil Cooler	S	S	S	S_
4-Spoke VIP Black Steering Wheel S S S S S Electronic Cruise Control w/ High Idle S S S S S S Multiple Auxiliary Charging Ports at Dash S S S S S S CONSTRUCTION & EXTERIOR STANDARDS Fiberglass Front and Rear Caps S S S S	5 year / 100,000 Mile Coolant	S	S	S	S
Electronic Cruise Control w/ High Idle S S S S Multiple Auxiliary Charging Ports at Dash S S S S CONSTRUCTION & EXTERIOR STANDARDS Fiberglass Front and Rear Caps S S S S	(some maintenance required)				
Multiple Auxiliary Charging Ports at Dash S S S S CONSTRUCTION & EXTERIOR STANDARDS Fiberglass Front and Rear Caps S S S S	4-Spoke VIP Black Steering Wheel	S	S	S	S_
CONSTRUCTION & EXTERIOR STANDARDS Fiberglass Front and Rear Caps S S S S	Electronic Cruise Control w/ High Idle	S	S	S	S_
Fiberglass Front and Rear Caps S S S	Multiple Auxiliary Charging Ports at Dash	S	S	S	<u>S</u>
	CONSTRUCTION & EXTERIOR STANDARD				
Full Body Painted Exterior (4x clear coat) S S S					
	Full Body Painted Exterior (4x clear coat)	S	S	S	S

I LOOI II LAN	077	OTODII	000110	000
Four (4) Point Fully Auto Equalizer	S	S	S	S
Hydraulic Leveling System w/ Manual Dump				
Steel Basement Structure	S	S	S	S
Rust Resistant Aluminized Steel Chassis Skirts	S	S	S	S
Diamond Shield Front Mask Protective Film	S	S	S	
1 Piece Fiberglass Roof	S	S	S	
Top-mount Remote Exterior/Heated/Mirrors	S	S	S	
w/ Cameras				
Frameless Dual Pane, Dark Tint Windows	S	S	S	S
Automotive Foam and Ziebart	S	S	S	
Seal Undercoating				
Carefree Latitude Dual Pitch Patio Awning	S	S	S	
w/ LED Lighting & Wind Sensor				
Carefree S/O Topper w/ Covers	S	S	S	S
Strut Assisted Side-Hinged Ext/Baggage				
Doors w/ Full Pass Through Storage	S	S	S	S
"One Key" System, Ext-Compartment, Entry	S	S	S	S
Door & Fuel Fill Doors				
Ducted A/C System	S	S	S	S
Crowned and Layered Vacuum Bonded	S	S	S	S
Fiberglass Roof				
Vacuum Bonded 3" Floor w/ Tubular Frame	S	S	S	S
Gel Coated Vacuum Bonded Aluminum	S	S	S	S
Tube w/ Fiberglass & Block Foam Insulation				
Sidewalls				
One Piece 1/2" Structure Wood Flooring	S	S	S	S_
Block Foam Polystyrene Insulation	S	S	S	S_
In Wall Channeled Drains for A/Cs	S	S	S	S
Tubular Steel Firewall w/ Polystyrene Insulation	S	S	S	S_
Auxiliary LP Supply, Quick Connect				
(Passenger Side)	S	S	S	S_
Two Piece Rear Ladder	S	S	S	S
82" Interior Ceiling Height	S	S	S	S
30" Mid-entry Entrance Door w/ Exterior	S	S	S	S
Assist Handle				
LED Marker Lights	S	S	S	S
ELECTRICAL STANDARDS				
50A Service w/ Auto Transfer Switch	S	S	S	S
& 30' Power Cord				
6kW Onan Diesel Generator w/ Manual Slide	S	S	S	S
Tray				
Electronic Battery Disconnect Switch	S	S	S	S_
Remote Generator Start Switch (In Dash	S	S	S	S
& Bedroom)				

iviuiti-Fiex Lighting	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Dimmer Control Lighting Throughout	S	S	S	S
LED Ceiling Light Package	S	S	S	S
Driver & Passenger LED Ceiling Map Lights	S	S	S	S
Individual Reading Lights Bed Overhead	S	S	S	S
Cosmetic Bathroom Lighting	S	S	S	S
Decorative Wall & Dinette Lighting w/ Applicable	S	N/A	S	S
Auxiliary Engine Start Switch at Dash	S	S	S	S
2000w Pure Sine Wave Inverter/Charger	S	S	S	S
Auto Generator Start Control	S	S	S	S
Four (4) Six Volt House Batteries	S	S	S	S
Two (2) Master Electric Shut Off Switches	S	S	S	S
Led Porch & Patio Lights	S	S	S	S
Easy Read 12v Circuit House Load Center	S	S	S	S
Solar Panel Controller w/ Roof Prep	S	S	S	S
Automotive Chassis Fuse Panel	S	S	S	S
PLUMBING STANDARDS				
Variable Speed Constant Pressure Water Pump	S	S	S	S
Individual Zoned Hot/Cold Manifold Water	S	S	S	S
Supply System				
4-way Water Management Valve	S	S	S	S
Bath - Solid Surface Under Mount Sink	S	S	S	S
Kitchen - Stainless Steel Under Mount Sink	S	S	S	S
One Piece Fiberglass Shower w/ Tempered	S	S	S	S
Door & Skylight				
Whole House Water Filter	S	S	S	S
Black Water Tank Flush System	S	S	S	<u>S</u>
Kitchen-Single Lever Faucet w/ Pull-out Sprayer	S	S	S	<u>S</u>
Double Lever Lavatory Faucets	S	S	S	S
Porcelain China Bowl Toilet w/ Foot Flush	S	S	S	S
Techma Macerator Toilet (Rear Bath)	N/A	N/A	S	S
Clean-easy Exterior Shower Hose	S	S	S	S
Monitor Panel in Water Bay Compartment	S	S	S	S
360 Roof Vent Caps	S	S	S	S
DRIVER/PASSENGER AREA STANDARDS				
One Piece Windshield	S	S	S	<u>S</u>
Power Front Day/Night Shade	S	S	S	<u>S</u>
Manual Passenger & Driver Window	S	S	S	S
Night Shades				
Fog Lights	S	S	S	<u>S</u>
6" Dash Radio w/ Integrated Color Back-up	S	S	S	S
and Side Camera Package w/ Navigtion				
Wrap Around Cockpit w/ 6 Gauges	S	S	S	S



MOONSTONE PUTTY

STONECREST KHAKI



STONECREST PUTTY

FLOORPLAN	34A	340BH	360RB	38C
Driver 360 Degree Swivel and Recline Seat	S	S	S	S
w/ 6-Way Power Adjustment	3	3	3	3
Passenger 360 Degree Swivel w/ Recline Seat	S	S	S	S
Leatherette Driver/Passenger Seat	S	S	S	S
Lighted Step Well	S	S	S	S
Cockpit table between Driver/Passenger Seats	S	S	S	S
Two (2) Defroster Fans w/ High and Low Settings	S	S	S	S
Driver/Passenger Cup Holders		S	S	S
Multiple USB Charging Ports	 S	<u>S</u>	S	<u></u> S
Automotive Dash AC/heater w/ Deluxe Controls	S	<u>S</u>	S	<u></u> S
Automotive Bush Normedier w/ Beluxe Controls				
ENTERTAINMENT STANDARDS				
40" LED TV, Living Room	S	S	N/A	N/A
32" LED TV, Living Room	N/A	N/A	S	S
32" LED TV, Bedroom	N/A	N/A	S	S
28" LED TV, Bedroom	S	S	N/A	N/A
32" LED TV, Exterior	S	S	S	S
19" LED TV, (2) Each Bunk w/ Easy Access HDMI Jack	N/A	S	N/A	S
Sound Bar w/ Integrated Sub & Bluetooth	S	S	S	s
Roof Mount Winegard Trav'ler Satellite Prep	S	S	S	S
Cable TV Prep	S	S	S	S
High Definition Cat6 Matrix Signal Distribution	S	S	S	S
Hi-Definition Digital TV Antennae w/ Signal Strength Indicator	S	S	S	S
Upconverting DVD Player	S	S	S	S
INTERIOR STANDARDS	_	_	_	_
12"X 24" Vinyl Tile Throughout	S	S	<u> </u>	<u> </u>
Hardwood Cabinetry & Slideout Fascia	<u>S</u>	S	<u>S</u>	<u>S</u>
Raised Panel Hardwood Cabinet Doors	S	S	<u> </u>	<u>S</u>
Hidden Hinges and Bar Pull Style Cabinet Hardware	S	S	S	S
Carpeted Living Room and Dining Slide-outs	S	S	S	S
Window Valances	S	S	S	<u> </u>
Visionary Hide-A-Bed Sofa	S	N/A	S	S
Soft touch sofa	S	S	N/A	N/A
Polished Solid Surface Kitchen/Dinette C-tops w/ Flush Mount Sink and Stove Covers	S	S	S	S
Decor Laminate on All Other Countertops	S	S	S	S
Soft Close Ball Bearing Drawer Guides in Kitchen	S	S	S	S
Full Extension Ball Bearing Metal Drawer Guides	S	S	S	S

FLOORPLAN	34A	340BH	360RB	38C
Galley Storage Compartment for Range	S	N/A	S	S
and Sink Covers				
Kitchen Pantry	S	N/A	S	S
Bi-fold Doors w/ Bunk Beds	N/A	S	N/A	S
"Soft Touch" Dream Booth Dinette w/	S	S	S	
Storage Underneath				
"Soft Touch" Padded Ceiling	S	S	S	
Roller Style Day/Night Shades	S	S	S	S
Dresser Drawers and Wardrobe Cabinets	S	S	S	S
72" x 80" King Pillow Top Bed w/	N/A	N/A	S	N/A
Decor Bedding				
60" x 80" Queen Pillow Top w/ Bedspread	S	S	N/A	
and Decorative Pillows				
Decorative Padded Headboard	S	S	S	
Bed Night Stands and Overhead Cabinetry	S	S	S	S
Mirrored Medicine Cabinets	S	S	S	S
Towel Bar, Toilet Paper Holder & Towel Ring	S	S	S	S
<u></u>				
APPLIANCE STANDARDS				
15,000 BTU w/ Heat Pump (front),	S	S	S	S
15,000 BTU A/C (rear)				
Holding Tank Heat Pads	S	S	S	S
*Continuous Flow Tankless Gas Hot	S	S	S	S
Water Heater				
35,000 BTU Furnace	S	S	N/A	N/A
42,000 BTU Furnace	N/A	N/A	S	S
30" OTR Convection Microwave Oven	S	S	S	S
2 Door Residential Refrigerator	S	S	S	S
Sealed 3-burner Stainless Recessed Cook Top	S	S	S	S
Power Fan in Bathroom w/Rain Cover	S	S	S	S
Maxxair in Galley w/ Wireless Remote Control	S	S	S	S
w/ Cover				
Washer/dryer Prep	S	N/A	S	S
OPTIONS				
Stackable Washer/Dryer	0	N/A	0	0
Electric Easy-Bed, cockpit Area	0	0	0	0_
Plank Wood Vinyl Flooring	0	0	0	0
Theater Seating w/Twin Sleepers ILO	0	N/A	N/A	N/A
Visionary HAB Sofa				
SAFETY STANDARDS				
110 GFI Protected Circuits	S	S	S	<u>S</u>
Carbon Monoxide Detector	S	S	S	<u> </u>
LP Gas Detector	S	S	S	<u>S</u>

FLOORPLAN	34A	340BH	360RB	380
Smoke Alarm	S	S	S	S
Egress Window's	S	S	S	S
Surface Mounted Fire Extinguisher	S	S	S	S
_				

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights,inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.


The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.




FLOORPLANS AND SPECIFICATIONS






LEGACY SPECIFICATIONS																
Floorplan	Length*	GVWR	GCWR	GAWR	GAWR	Wheelbase	Height*	Width*	Basement	Awning	Fresh	Gray	Black	LP	Furnace	TRUMA
	(Feet)	(Lbs.)	(Lbs.)	Front	Rear	(Inches)	(Feet)	(Inches)	storage*	(Feet)	Tank	Tank	Tank	Tank	(BTU's)	Hot Water
				(Lbs.)	(Lbs.)				(Cu. Ft.)		(Gal.)	(Gal.)	(Gal.)			Heater
34A	36' 2"	27,910	32,910	10,410	17,500	208"	12' 4"	100"	110'	10' 4"	86	44	44	24.5	35,000	Continuous
340BH	36' 2"	27,910	32,910	10,410	17,500	208"	12' 4"	100"	110'	18' 0"	86	44	44	24.5	35,000	Continuous

Legacy



I ECACV SDECIEICATIONS



LEGACI SPECIFICATIONS																	
	Floorplan	Length*	GVWR	GCWR	GAWR	GAWR	Wheelbase	Height*	Width*	Basement	Awning	Fresh	Gray	Black	LP	Furnace	TRUMA
		(Feet)	(Lbs.)	(Lbs.)	Front	Rear	(Inches)	(Feet)	(Inches)	storage*	(Feet)	Tank	Tank	Tank	Tank	(BTU's)	Hot Water
					(Lbs.)	(Lbs.)				(Cu. Ft.)		(Gal.)	(Gal.)	(Gal.)			Heater
	360RB	39' 10"	27,910	32,910	10,410	17,500	252"	12' 4"	100"	152'	18' 0"	86	44	44	24.5	42,000	Continuous
	38C	39' 10"	27,910	32,910	10,410	17,500	252"	12' 4"	100"	152'	18' 0"	86	44	44	24.5	42,000	Continuous

Legacy

CHOOSE YOUR LEGACY.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GWWR.

GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GWMR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.





Forest River, Inc. encourages

our customers to purchase

their Forest River products from a local dealership

whenever possible for the

) forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.

- 2) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RY experience through assistance with product questions, user tips or RY regulations for your state or country, and much more!

 3) Canadian customers must meet requirements to brin
- an RY purchased out of the country to their home.
 These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!





BEAUTIFUL INSIDE AND OUT

ATTENTION TO DETAIL HAS NEVER LOOKED SO GOOD. THE OUTSIDE OF THE LEGACY LOOKS MORE LIKE AN EXPENSIVE PIECE OF ART THAN A MOTORHOME WITH ITS FOUR COLOR FULL BODY PAINT AND CLEAR COAT FINISH. ON THE INSIDE THE ART CONTINUES WITH PROFESSIONALLY DESIGNED INTERIORS THAT FEATURE HANDMADE CABINETRY AND CUSTOM MADE FURNITURE. LIFE REALLY DOES IMITATE ART WITH THE LEGACY.

YOUR LEGACY DEALER



Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



Forest River, Inc. - Diesel Motorized Division 1800 West Hively Avenue, Elkhart, IN 46515 (574) 522-3693 www.forestriverinc.com/legacy

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and continue existence of any materials, design or specifications that are material to your purchase decision.

©LEGACY- a division of Forest River Inc. A Berkshire Hathaway company

