



The motor home that shows a little work can go a long way.

Pound for pound, Bounder is one hard-working motor home that runs long on both function and family fun. Just have a seat in the motor home that revolutionized the industry and began a multitude of imitators and you'll see why Bounder also has the lock on brand loyalty with the most avid RV adventure club in the country. Bounder's spacious floor plans make it the perfect place to host friendly after adventure get-togethers. The Flex-O-Later® dinette system allows for easy adjustments and ample storage space for supplies below, and sturdy mortise and tenon oak cabinetry stands up to any hard knocks. A 3500 lb. Workhorse, 5000 lb. Ford towing capability makes bringing toys like jet skis, motorcycles, or personal watercraft effortless. And brand-name appliances, stylish furnishings, and our optional E-Z Glide™ Room Slide-out System make sure the only "roughing it" you do is on the outside of your Bounder in the wide open spaces.



2000 Bounder Floor Plans










TABLE W/









TABLE W





- Dinette or Optional Table with Chairs
- Lounge Chair
- Large Pantry
- Optional Twin Beds
- Tub/Shower



MODEL 31W

- Dinette or Optional Table with Chairs
- Swivel Chair with Table
- Wardrobe/Dresser Slide-Out
- Fully Enclosed Bathroom

MODEL 32H

- Dinette or Optional Table with Chairs
- Swivel Chair with Table
- Large Wardrobe
- Optional Twin Beds
- Fully Enclosed Bathroom


MODEL 34D

- Dinette or Optional Table with Chairs
- Living Room Slide-Out
- Swivel Chair with Table
- Optional Dometic® Side-by-Side Refrigerator
- 3 Bedroom Configurations
- Fully Enclosed Bathroom
- Extra Large Tub/Shower





- Swivel Chair with Table
- Optional Table with Chairs
- Island Queen Bed
- Optional Twin Beds
- Fully Enclosed Bathroom
- Extra Large Tub/Shower





- Optional Table with Chairs
- Living Room Slide-Out
- Swivel Chair with Table
- Private Toilet
- Wardrobe Slide-Out



36S

- Optional Table with Chairs
- Living Room Slide-Out
- Swivel Chair with Table
- Optional Dometic® Side-By-Side Refrigerator
- Optional Washer/Dryer
- 3 Bedroom Configurations
- Private Toilet

2000 Bounder Standard Features

EXTERIOR AUTOMOTIVE

Large, Curved Aerodynamic Windshield

Undercoating

Stainless-Steel Wheel Simulators

Underhood Utility Light

Steel Surface on Bulkhead

Trailer Hitch with 4-Point Electrical Hook-Up

Large Single Headlamps with Turn Signal

Rear Camera Ready

Windshield Wipers with Wet Arm

Vacubond Lower/Upper Floor

Vacubond Walls with Smooth Exterior Fiberglass

Radiused Roof with Ducted A/C

Rubber Roof

Steel Floor/Wall/Ceiling Framing

Power Platform II

INTERIOR

3 Interior Decors

Skylight In Tub/Shower

Wall-to-Wall Nylon Carpet with Carpet Pad

Vinyl Floor Covering (Galley & Bathroom)

Wood Drawers

Roller Guide Drawer Slides with Transit Ship Locks

Radius Corner Cabinetry

Brass Finished Cabinet Hardware

Driver/Passenger Reclining Bucket Seats

Mini Blinds (Vinyl)-Entry

Mini Blinds (Wood)

Bedspread with Decor Pillows

Innerspring Mattress

Oak Cabinet Doors & Drawers

Window Coverings

Oak Bath Door Trims

Trash Basket in Gallev

Molded Fiberglass Tub/Shower with

One-Piece Enclosure

Residential Seat Styling

Entry Rail (Oak & Brass)

Raised Panel, Overhead Cabinet Doors

Oak Flat Panel. Base Cabinet Doors

Adjustable Cabinet Shelves (Selected Cabinets)

Sink Cutting Board

Solid Divider Doors

Large, Double Stainless-Steel Sink

Oak Wood Grain

INTERIOR AUTOMOTIVE

Intermittent Wiper Control

Double Swivel Sun Visors with Map Pockets

Engine Cover Convenience Tray

Cruise Control

Low Profile Engine Cover

Radio with Cassette AM/FM/MX-Electronic Tuning

Battery Disconnect System

Auto A/C Heater Combo

Radio Switch-Main/Auxiliary

Soft Surface Automotive Dash

Tilt Steering Wheel

Tilt-Up Instrument Panel

Driver/Passenger Captain's Chairs

with Reclining Back/Slide Controls

3-Point Seat Belts on Driver/Passenger Seats

EXTERIOR

Full Fiberglass Front Cap

One-Piece, Swing-Down Engine Access Door

Roto Cast. Front Quarter Panels

Roto Cast, Rear Wheel Well Trims

Aerodynamic Bus Styling

Entry Door with Deadbolt Latch

Slider Windows Throughout

Aluminum/Painted Front Grille

Bounder Logo Badging

Utility Compartment with Exterior Shower

Roof Ladder

Exterior Assist Handle

Remote Rear View Mirror

20' Sewer Hose

Park Cable Receptacle

Awning Rail/Drip Molding (Both Sides)

Power Entry Step

Dual Battery Charge Control

Under-Floor Spare Tire

Porch Light

3 Colorway Graphics to Match Decor

Lower Body Accent Paint

EXTERIOR STORAGE

Insulated Luggage Doors

Single Paddle/Metal Latches

Continuous One-Piece Bulb Seal

Hidden, Stainless-Steel Latch Rods

Lighted Compartments

Steel Seal Frames

Carpeted Luggage Compartment

Pass-Through Storage

INTERIOR LIGHTING

Wardrobe Lighting

Fluorescent Ceiling Lighting with Dual Bulb

Decor Lighting

Incandescent Lighting

APPLIANCES

20" Panasonic® TV In Front Overhead

Smoke Detector

LP Detector

CO Detector

6-Gallon, Quick Recovery Water Heater with D.S.I.

22" 3-Burner, High-Output Cook Top with Oven

Light/Power Range Hood with Spice Rack

Folding Range Cover

Single A/C High Efficiency with Solar Panel

Water Heater Bypass

Marine Toilet with Water Saver

Toilet Tank "Sani-flush" System

1-cu.ft. Microwave

8-cu.ft. Dometic® Double Door Refrigerator

Single-Lever Galley Faucet

Water Filter with Faucet

Demand Water Pump with Filter

Power Bath Vent

Fantastic® Power Roof Vent in Galley

Fire Extinguisher

Telephone Jack

Rear Speakers In Bedroom

A/C Ready

Monitor Panel

ELECTRICAL

Patio Receptacle

120V/12V AC/DC Converter Central Electrical Panel

120V/12V Wire Raceway

3-Way Water Pump Switching

4.0kW Onan® Generator 30-amp Service

W-II O

Wall Switches

Dual 6V/Deep-Cycle 218-amp House Battery

VCR Ready

Product information and photography included in this brochure were as accurate as possible at the time of publication. For the most current product information and changes, please visit our Website at www.fleetwood.com or contact your local Fleetwood dealer. Subsequent refinements may be evident in the actual product. Prices and specifications are subject to change without notice. All fuel and liquid capacities are approximate and dimensions are nominal. Fleetwood has designed its motor home brands to provide a variety of potential uses for its customers. Each unit features the optimum storage, fluid, seating and sleeping capabilities. Though the customer enjoys this potential, he/she also has the responsibility to select the proper combinations of loads without exceeding the chassis weight capacities.

New Bounder Features For 2000

Our engineering may set us apart from the rest. But the things you'll notice most when you and your family take a trip are the top-of-the-line features. This year we have, once again, added to an already large list of features with the followina:


- CB Radio Ready Option
- Illuminated Porch Light Switch
- Toilet Tank "Sani-flush" System
- New Easy-to-Clean Entry Treads
- High Line Utility Compartment
- Optional Stacked Compact Disc Player

	NEW FOR 2000	NEW FOR				NEW FOR	
EXTERIOR AUTOMOTIVE	31M	31W	32H	34D	34J	34T	36S
Workhorse Chassis 7.4L Vortec Engine	Opt	N/A	Opt	Opt	Opt	N/A	Opt
Ford Chassis 6.8L Engine	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Rear Vision Camera	Opt	Opt	Opt	Opt	Opt	Opt	Opt
EXTERIOR	31M	31W	32H	34D	34J	34T	36S
Awning-USA	Opt	Opt	Opt	Opt	Opt	Opt	Opt
4-Point Manual Hydraulic Leveler–Workhorse	Opt	N/A	N/A	N/A	Opt	N/A	Std
4-Point Manual Hydraulic Leveler–Ford	Opt	Std	Opt	Std	Opt	Std	Std
INTERIOR AUTOMOTIVE	31M	31W	32H	34D	34J	34T	36S
Dash Fans	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt	Opt Opt
CB Radio Ready Stereo AM/FM CD Player	Opt Opt	Opt	Opt Opt	Opt	Opt Opt	Opt Opt	Opt
AM/FM Cassette with Stack CD Player	Opt	Opt	Opt	Opt	Opt	Opt	Opt
INTERIOR	31M	31W	32H	34D	34J	34T	36S
Glass Shower Door with Bright Brass Frame	N/A	N/A	N/A	N/A	N/A	Std	Std
Headboard	N/A	N/A	N/A	Std	N/A	Std	Std
Rear Panasonic® Television with Island Queen Bed Rear Panasonic® Television with Remote	N/A Opt	N/A Opt	N/A Opt	Opt Opt	Opt Opt	N/A Opt	Opt Opt
CSA Sofa Lock	Std	Std	Opt Std	Std	Opt Std	Opt Std	Std
Lounge Recliner	N/A	Opt	Opt	Opt	Opt	Opt	Opt
Coffee Table	N/A	N/A	N/A	Opt	N/A	Opt	Opt
Dinette Table w/Free Standing Extension & Chairs	Opt	Opt	0pt	Opt	Opt	Opt	Opt
Shower Curtain	N/A	N/A	Std	Std	Std	N/A	N/A
SLEEPING ACCOMMODATIONS (STANDARD)	31M	31W	32H	34D	34J	34T	36S
Sofa Bed Sofa Sleeper	46"x 76" N/A	N/A 51 ¹ /2" X 71 ¹ /2"	46"x 76" N/A	N/A 51 ¹ /2" X 71 ¹ /2"	46"x 76" N/A	N/A 51 ¹ /2" X 71 ¹ /2"	46"x 76" N/A
Dinette	42"x 74"	42"x 74"	42"x 74"	42"x 74"	42"x 74"	42"x 74"	42"x 74"
Queen Bed	60"x 80"	60"x 80"	60"x 80"	60"x 75"	60"x 80"	60"x 80"	60"x 80"
SLEEPING ACCOMMODATIONS (OPTIONAL)	31M	31W	32H	34D	34J	34T	36S
Sofa Sleeper	N/A	N/A	N/A	N/A	N/A	N/A	Opt
Island Bed with Full Wardrobe Twin Beds with Nightstand	N/A 39"x 75"	N/A N/A	N/A 39"x 75"	Opt 39"x 75"	Std 39"x 75"	N/A N/A	0pt 39"x 75"
SLIDE-OUT	31M	31W	32H	34D	34J	34T	36S
Living Room-Dinette Table & Chairs/Sofa	N/A	N/A	N/A	Opt	N/A	Opt	Opt
Living Room-Dinette/Sofa	N/A	Std	N/A	Std	N/A	Std	Std
Bedroom Wardrobe-Closet/Organizer	N/A	Std	N/A	N/A	N/A	Std	N/A
ELECTRICAL	31M	31W	32H	34D	34J	34T	36S
7.0kW Onan® Generator	Opt Opt	Opt	Opt	Opt	Opt Opt	Opt	Opt Opt
5.0kW Onan® Generator ECC Climate Control	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt
ECC w/13.5/11M A/C w/5.0kW Generator Upgrade	Opt	Opt	Opt	Opt	Opt	Opt	Opt
ECC w/13.5/11M A/C w/7.0kW Generator Upgrade	0pt	Opt	Opt	Opt	Opt	Opt	Opt
5.0kW Generator-Onan® Dual A/C Ready Upgrade	Opt	Opt	Opt	Opt	Opt	Opt	0pt
7.0kW Generator—Onan® Dual A/C Ready Upgrade	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt
CSA 5.0kW Gen-Onan®/DL A/C Ready Upgrade CSA 7.0kW Gen-Onan®/DL A/C Ready Upgrade	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt
OUT I UNIV UCHTURAL I / DL AVO REALLY UPYRAUE	υμι			Opt	Opt Opt	Opt	Opt
		()nt	Uni	UIII		- Pr	
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade	Opt Opt	Opt Opt	Opt Opt	Opt	Opt	Opt	Opt
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package–Workhorse	Opt Opt Opt	Opt N/A	Opt N/A	Opt Opt	Opt Opt	N/A	Opt
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade	Opt Opt	Opt	Opt	Opt .	Opt		
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package—Workhorse CSA Package—Ford	Opt Opt Opt Opt	Opt N/A Opt	Opt N/A Opt	Opt Opt Opt 34D	Opt Opt Opt Opt	N/A Opt	Opt Opt 36S
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package—Workhorse CSA Package—Ford APPLIANCES Furnace 20M BTU/35M BTU (Dual)	Opt Opt Opt Opt 31M N/A	Opt N/A Opt 31W N/A	Opt N/A Opt 32H N/A	Opt Opt Opt 34D N/A	Opt Opt Opt 34J N/A	N/A Opt 34T N/A	Opt Opt 36S Std
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package–Workhorse CSA Package–Ford APPLIANCES Furnace 20M BTU/35M BTU (Dual) Furnace 34M BTU	Opt Opt Opt Opt Opt All Opt S1M N/A Std	Opt N/A Opt 31W N/A Std	Opt N/A Opt 32H N/A N/A	Opt Opt Opt 34D N/A N/A	Opt Opt Opt 34J N/A N/A	N/A Opt 34T N/A N/A	Opt Opt 36S Std N/A
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package—Workhorse CSA Package—Ford APPLIANCES Furnace 20M BTU/35M BTU (Dual) Furnace 34M BTU Furnace 35M BTU	Opt Opt Opt Opt Opt Opt S1M N/A Std N/A	Opt N/A Opt 31W N/A Std N/A	Opt N/A Opt 32H N/A N/A Std	Opt Opt Opt 34D N/A N/A N/A	Opt Opt Opt 34J N/A N/A N/A	N/A Opt 34T N/A N/A N/A	Opt Opt 36S Std N/A N/A
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package—Workhorse CSA Package—Ford APPLIANCES Furnace 20M BTU/35M BTU (Dual) Furnace 34M BTU	Opt Opt Opt Opt Opt All Opt S1M N/A Std	Opt N/A Opt 31W N/A Std	Opt N/A Opt 32H N/A N/A	Opt Opt Opt 34D N/A N/A	Opt Opt Opt 34J N/A N/A	N/A Opt 34T N/A N/A	Opt Opt 36S Std N/A
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package—Workhorse CSA Package—Ford APPLIANCES Furnace 20M BTU/35M BTU (Dual) Furnace 34M BTU Furnace 42M BTU Furnace 42M BTU Furnace 42M BTU Furnace 47M BTU Furnac	Opt Opt Opt Opt Opt S1M N/A Std N/A N/A Opt Opt	Opt N/A Opt 31W N/A Std N/A N/A Opt Opt	Opt N/A Opt 32H N/A N/A Std N/A Opt Opt Opt	Opt Opt Opt 34D N/A N/A N/A Std Opt Opt	Opt Opt Opt Opt 34J N/A N/A N/A Std Opt Opt	N/A Opt 34T N/A N/A N/A Std Opt Opt	Opt Opt 36S Std N/A N/A N/A Opt Opt
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package—Workhorse CSA Package—Ford APPLIANCES Furnace 20M BTU/35M BTU (Dual) Furnace 34M BTU Furnace 35M BTU Furnace 42M BTU Dual Roof A/C High Efficiency BTU with Solar Panel Convection Microwave VCR/VHS	Opt Opt Opt Opt Opt S1M N/A Std N/A N/A Opt Opt Opt	Opt N/A Opt 31W N/A Std N/A N/A Opt Opt	Opt N/A Opt 32H N/A N/A Std N/A Opt Opt Opt	Opt Opt Opt Opt 34D N/A N/A N/A Std Opt Opt Opt	Opt Opt Opt Opt 34J N/A N/A N/A Std Opt Opt Opt	N/A Opt 34T N/A N/A N/A Std Opt Opt Opt	Opt Opt Opt 36S Std N/A N/A Opt Opt Opt
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package—Workhorse CSA Package—Ford APPLIANCES Furnace 20M BTU/35M BTU (Dual) Furnace 34M BTU Furnace 35M BTU Furnace 42M BTU Dual Roof A/C High Efficiency BTU with Solar Panel Convection Microwave VCR/VHS Washer/Dryer	Opt Opt Opt Opt Opt SilM N/A Std N/A N/A Opt Opt Opt N/A	Opt N/A Opt 31W N/A Std N/A N/A Opt Opt Opt N/A	Opt N/A Opt 32H N/A N/A Std N/A Opt Opt Opt N/A	Opt Opt Opt Opt 34D N/A N/A N/A Std Opt Opt Opt N/A	Opt Opt Opt Opt N/A N/A N/A Std Opt Opt Opt N/A	N/A Opt 34T N/A N/A N/A Std Opt Opt Opt Opt	Opt Opt Opt 36S Std N/A N/A N/A Opt Opt Opt
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package—Workhorse CSA Package—Ford APPLIANCES Furnace 20M BTU/35M BTU (Dual) Furnace 35M BTU Furnace 42M BTU Furnace 42M BTU Dual Roof A/C High Efficiency BTU with Solar Panel Convection Microwave VCR/VHS Washer/Dryer Side-By-Side Refrigerator with Ice Maker	Opt Opt Opt Opt Opt 31M N/A Std N/A N/A Opt Opt Opt N/A N/A	Opt N/A Opt 31W N/A Std N/A N/A Opt Opt Opt N/A N/A N/A	Opt N/A Opt 32H N/A N/A Std N/A Opt Opt Opt Opt N/A N/A N/A	Opt Opt Opt Opt N/A N/A N/A Std Opt Opt Opt Opt Opt Opt Opt Opt	Opt Opt Opt Opt N/A N/A N/A Std Opt Opt Opt N/A N/A N/A	N/A Opt 34T N/A N/A N/A Std Opt Opt Opt N/A N/A	Opt Opt Opt 36S Std N/A N/A Opt Opt Opt Opt Opt
CSA ECC w/Dual A/C 5.0kW Generator Upgrade CSA ECC w/Dual A/C 7.0kW Generator Upgrade CSA Package—Workhorse CSA Package—Ford APPLIANCES Furnace 20M BTU/35M BTU (Dual) Furnace 34M BTU Furnace 35M BTU Furnace 42M BTU Dual Roof A/C High Efficiency BTU with Solar Panel Convection Microwave VCR/VHS Washer/Dryer	Opt Opt Opt Opt Opt SilM N/A Std N/A N/A Opt Opt Opt N/A	Opt N/A Opt 31W N/A Std N/A N/A Opt Opt Opt N/A	Opt N/A Opt 32H N/A N/A Std N/A Opt Opt Opt N/A	Opt Opt Opt Opt 34D N/A N/A N/A Std Opt Opt Opt N/A	Opt Opt Opt Opt N/A N/A N/A Std Opt Opt Opt N/A	N/A Opt 34T N/A N/A N/A Std Opt Opt Opt Opt	Opt Opt Opt 36S Std N/A N/A N/A Opt Opt Opt

2000 Bounder Options

The Power Platform II Makes The Difference

Bounder's quality begins long before the features come on board. We begin by building on our exclusive Power Platform II, a unique truss design welded together using tubular steel that's durable, strong, and dependable. The result is a quiet and nearly flawless ride, increased floor strength, and substantially more storage space below. An all-steel foundation further reduces stress loads on the sidewalls and minimizes chassis flex on uneven roads.



2000 Bounder Specifications

	2000	2000				2000	
FORD CHASSIS	31M	31W	32H	34D	34J	34T	36S
Engine CID	415	415	415	415	415	415	415
Wheel Base	190"	208"	208"	208"	208"/247"	208"	228"
GVWR lbs/kgs (1)	18,000/8,163	20,500/9,299	20,500/9,299	20,500/9,299	20,500/9,299	20,500/9,299	20,500/9,299
Front GAWR lbs/kgs (2)	7,000/3,175	7,000/3,175	7,000/3,175	7,000/3,175	7,000/3,175	7,000/3,175	7,000/3,175
Rear GAWR lbs/kgs (2)	11,000/4,989	13,500/6,123	13,500/6,123	13,500/6,123	14,500/6,577	13,500/6,123	13,500/6,123
Base Weight Ibs/kgs (3)	13,900/6,304	15,540/7,048	14,360/6,514	15,651/7,099	15,540/7,048	16,150/7,328	16,160/7,329
GCWR lbs/kgs (4)	23,000/10,431	25,500/11,565	25,500/11,565	25,500/11,565	25,500/11,565	25,500/11,565	25,500/11,56
Hitch Rating/Tongue Weight Ibs	5,000/500	5,000/500	5,000/500	5,000/500	5,000/500	5,000/500	5,000/500
Hitch Rating/Tongue Weight kgs	2,268/227	2,268/227	2,268/227	2,268/227	2,268/227	2,268/227	2,268/227
Fuel Capacity gal/lbs	75/450	75/450	75/450	75/450	75/450	75/450	75/450
Fuel Capacity gal/kgs	75/204	75/204	75/204	75/204	75/204	75/204	75/204
WORKHORSE CHASSIS	31M	31W	32H	34D	34J	34T	36S
Engine CID	454	N/A	454	454	454	N/A	454
Wheel Base	190"	N/A	208"	208"/247"	208"/247"	N/A	208"/247"
GVWR lbs/kgs (1)	17,000/7,710	N/A	18,000/8,163	20,000/9,072	20,000/9,072	N/A	20,000/9,07
Front GAWR lbs/kgs (2)	6,000/2,721	N/A	6,000/2,721	6,000/2,721	6,000/2,721	N/A	6,000/2,721
Rear GAWR lbs/kgs (2)	11,000/4,987	N/A	12,000/5,443	14,500/6,577	14,500/6,577	N/A	14,500/6,57
Rear GAWR lbs/kgs (2) Base Weight lbs/kgs (3)	11,000/4,987 13,2000/5,986	N/A N/A	12,000/5,443 13,8000/6,259	14,500/6,577 15,690/7,116	14,500/6,577 14,700/6,667	N/A N/A	
Base Weight lbs/kgs (3)					· · ·		16,300/7,392
Base Weight lbs/kgs (3) GCWR lbs/kgs (4)	13,2000/5,986	N/A	13,8000/6,259	15,690/7,116	14,700/6,667	N/A	16,300/7,392
• , ,	13,2000/5,986 20,500/9,297	N/A N/A	13,8000/6,259 21,000/9,524	15,690/7,116 21,000/9,524	14,700/6,667 21,000/9,524	N/A N/A	16,300/7,392 21,000/9,524
Base Weight Ibs/kgs (3) GCWR Ibs/kgs (4) Hitch Rating/Tongue Weight Ibs	13,2000/5,986 20,500/9,297 3,500/350	N/A N/A N/A	13,8000/6,259 21,000/9,524 3,500/350	15,690/7,116 21,000/9,524 3,500/350	14,700/6,667 21,000/9,524 3,500/350	N/A N/A N/A	

	2000	200				200		
DIMENSIONS	31M	31W	32H	34D	34J	34 T	36S	
Overall Length	31' 4"	31' 10"	32' 10"	34' 10"	34' 10"	34' 10"	36' 10"	
Overall Height	11' 8"	11' 8"	11' 8"	11' 8"	11' 8"	11' 8"	11' 8"	
Overall Width (maximum)	102"	102"	102"	102"	102"	102"	102"	
Interior Height (maximum)	79"	79"	79"	79"	79"	79"	79"	
Interior Width (maximum)	96"	96"	96"	96"	96"	96"	96"	
STORAGE CAPACITY (CU.FT.)	31M	31W	32H	34D	34J	34T	36S	
Exterior (Ford/Workhorse) Est.	N/A	N/A	N/A	110/88	113/107	94/94	84/79	
LIQUID CAPACITIES (GALLONS/LITE	RS) 31M	31W	32H	34D	34J	34T	36S	
Fresh Water	100/378	100/378	100/378	100/378	100/378	100/378	100/378	
Water Heater	6/23	6/23	6/23	6/23	6/23	6/23	6/23	
Body-Waste Holding	50/189	50/189	50/189	50/189	50/189	50/189	50/189	
Grey-Water Holding	50/189	50/189	50/189	50/189	50/189	50/189	50/189	
Appliance LPG Tank (wc/see note)	25/95	25/95	25/95	25/95	25/95	25/95	25/95	
Note: Tank manufacturer's listed water capacity (wc). Actual filled LP capacity is 80% of listing due to safety shutoff required on tank.								

- 1. GVWR (Gross Vehicle Weight Rating): Means the maximum permissible weight of this motor home. The GVWR is equal to or greater than
- the sum of the unloaded vehicle weight plus the net carrying capacity.

 2. GAWR (Gross Axle Weight Rating): Means the maximum permissible loaded weight a specific axle is designed to carry.
- 3. Base Weight: Means the weight of the motor home without fuel, options, water, cargo, or passengers.
- 4. GCWR (Gross Combination Weight Rating): Means the value specified by the motor home manufacturer as the maximum allowable loaded weight of this motor home with its towed trailer or towed vehicle. Towing and braking capacities may differ. Refer to Fleetwood and chassis manufacturer manuals for complete information.

N/A = Information not available at time of publication.


FLEETWOOD, RV

Fleetwood Enterprises, Inc. RV Marketing P.O. Box 7638 Riverside, CA 92513-7638









TO FIND A FLEETWOOD DEALER near you, call 24 hours a day at 1-800-444-4905 or visit our Website at www.fleetwood.com

FOR CUSTOMER ASSISTANCE, call toll free 24 hours a day at 1-800-322-8216, visit our Website, or you may write to Fleetwood Enterprises, Inc., P.O. Box 7638, Riverside, CA 92513-7638.

Product information and photography included in this brochure were as accurate as possible at the time of publication. For the most current product information and changes, please visit our Website at www.fleetwood.com or contact your local Fleetwood dealer. Subsequent refinements may be evident in the actual product. Prices and specifications are subject to change without notice. All fuel and liquid capacities are approximate and dimensions are nominal. Fleetwood has designed its motor home brands to provide a variety of potential uses for its customers. Each unit features the optimum storage, fluid, seating and sleeping capabilities. Though the customer enjoys this potential, he/she also has the responsibility to select the proper combinations of loads without exceeding the chassis weight capacities.

© 1999 Fleetwood Enterprises, Inc.

Inventory Control Number 130002/2nd Edition 12/99







This award certifies that Fleetwood has met Ford's rigid quality standards for modifying a Ford chassis.